


Flexera

FlexNet Manager for Engineering Applications 2020 R1

Database Schema



Legal Information

Book Name: FlexNet Manager for Engineering Applications Database Schema
Part Number: FNMEA-2020R1-DBS00
Product Release Date: July 2021

Copyright Notice

Copyright © 2021 Flexera Software

This publication contains proprietary and confidential information and creative works owned by Flexera Software and its licensors, if any. Any use, copying, publication, distribution, display, modification, or transmission of such publication in whole or in part in any form or by any means without the prior express written permission of Flexera Software is strictly prohibited. Except where expressly provided by Flexera Software in writing, possession of this publication shall not be construed to confer any license or rights under any Flexera Software intellectual property rights, whether by estoppel, implication, or otherwise.

All copies of the technology and related information, if allowed by Flexera Software, must display this notice of copyright and ownership in full.

Intellectual Property

For a list of trademarks and patents that are owned by Flexera Software, see <https://www.flexera.com/legal/intellectual-property.html>. All other brand and product names mentioned in Flexera Software products, product documentation, and marketing materials are the trademarks and registered trademarks of their respective owners.

Restricted Rights Legend

The Software is commercial computer software. If the user or licensee of the Software is an agency, department, or other entity of the United States Government, the use, duplication, reproduction, release, modification, disclosure, or transfer of the Software, or any related documentation of any kind, including technical data and manuals, is restricted by a license agreement or by the terms of this Agreement in accordance with Federal Acquisition Regulation 12.212 for civilian purposes and Defense Federal Acquisition Regulation Supplement 227.7202 for military purposes. The Software was developed fully at private expense. All other use is prohibited.

Contents

- 1 FlexNet Manager for Engineering Applications 2020 R1 Database Schema 7**
 - Legal Information 7
 - Product Support Resources 8
 - Contact Us 9

- 2 Admin.Common Tables..... 11**
 - MGR_FEATURE Table 12
 - MGR_OTHER_LICENSE_SERVER Table 13
 - MGR_PACKAGECOMPONENT Table 14
 - MGR_SERVERLINE Table 14
 - MGR_FULFILLMENT Table..... 15
 - MGR_LICSRVR_ADMINSET_ADMIN Table 16
 - MGR_COGNOS_USER_ROLE Table 17
 - MGR_LICENSERIGHTS Table 17
 - MGR_LICENSEPOOLUSER Table 19
 - MGR_VENDORDAEMON Table 20
 - MGR_USESERVERLINE Table 21
 - MGR_OTHER_LICENSE_TEMPLATE Table 21
 - MGR_LICSRVR_ADMINSET Table 22
 - MGR_PACKAGELINE Table..... 22
 - MGR_VENDORLINE Table 23
 - MGR_AGENT Table 24
 - MGR_COMMENTLINE Table..... 25
 - MGR_AGENTADMIN_AGENT Table 26
 - MGR_AGENTCONTEXT Table..... 26
 - MGR_LICENSEFILE Table..... 27

| | |
|--|-----------|
| MGR_DEDUCTION Table | 27 |
| MGR_AGENT_ADMIN Table | 28 |
| MGR_LUMSERVER Table | 29 |
| MGR_OPTIONSFILE Table | 30 |
| MGR_ALERT_CONDITION Table | 31 |
| MGR_AGENTCONTEXTDATA Table | 31 |
| MGR_LICSVRADMSET_LICSVRGRP Table | 32 |
| MGR_PRODUCT Table | 32 |
| MGR_VENDOR_DAEMON_ALIAS Table | 33 |
| MGR_LICENSESERVER Table | 33 |
| 3 Platform.Common Tables | 37 |
| PLT_GROUP Table | 38 |
| PLT_ORGUNIT_ORGUNITTYPE Table | 39 |
| PLT_USER Table | 39 |
| PLT_ORGUNIT_CONTACT Table | 40 |
| PLT_ORGUNITTYPE Table | 40 |
| PLT_ROLE_PERMISSION Table | 41 |
| PLT_EXTPROPTESTCLASS Table | 41 |
| PLT_ALERTTYPE Table | 41 |
| PLT_CATEGORY Table | 42 |
| PLT_USER_ORGUNIT_ROLE Table | 42 |
| PLT_VALIDVALUE Table | 43 |
| PLT_ALERT_JOBCONFIG Table | 43 |
| PLT_EXTPROPSET Table | 44 |
| PLT_AUTHSCHEME Table | 44 |
| PLT_ALERT_HANDLERYPEPROP Table | 44 |
| PLT_CONFIGGROUP Table | 45 |
| PLT_EXTPROP Table | 45 |
| PLT_ENTITYPROPSET Table | 46 |
| PLT_DOMAIN Table | 46 |
| PLT_ALERT_HANDLERYPE Table | 47 |
| PLT_GROUP_ROLE Table | 47 |
| PLT_ALERTTYPE_ROLE Table | 48 |
| PLT_ROLE Table | 48 |
| PLT_DATASERVICE Table | 49 |
| PLT_ORGUNIT Table | 49 |
| PLT_RANGEVALUES Table | 50 |
| PLT_ALERT_SUBSCRIPTION Table | 51 |
| PLT_PERMISSION Table | 51 |
| PLT_NOTIFIEDMESSAGES Table | 52 |

| | |
|--|-----------|
| PLT_EXTPROP_MULTIVALUE Table | 52 |
| PLT_MODULE Table | 53 |
| PLT_EXTPROPMETADATA Table | 53 |
| PLT_ALERT Table | 54 |
| PLT_ALERT_INBOX Table | 54 |
| PLT_ALERT_HANDLERCONFIG Table | 55 |
| 4 Reporting.Common Tables | 57 |
| RPTDW_TIER Table | 59 |
| RPT_EVENT_FIELD_FILTER Table | 60 |
| RPTDW_FEATURE Table | 60 |
| RPT_QC_USERS Table | 61 |
| RPT_USAGE_CONSUMER_DEF Table | 61 |
| RPT_RAW_FIELD Table | 62 |
| RPT_QC_USER_HOSTS Table | 62 |
| RPTDW_AGGREGATION_SCHD_TASK Table | 62 |
| RPT_CAT_HOST Table | 63 |
| RPT_QC_HOSTS Table | 63 |
| RPTDW_ORG_UNIT_NODE Table | 64 |
| RPTDW_PRODUCT_CHOICE Table | 64 |
| RPT_USAGE_GAP Table | 65 |
| RPT_EVENT_TYPE_FILTER Table | 65 |
| RPT_CAT_USER Table | 66 |
| RPTDW_TIER_FEATURE Table | 66 |
| RPTDW_CONTRACT Table | 66 |
| RPT_SESSION Table | 67 |
| RPT_CAT_FEATURE Table | 69 |
| RPT_QC_USAGE_SOURCE Table | 69 |
| RPTDW_CURRENCY_CONVERSION Table | 69 |
| RPT_CONTRACTED_AGENT Table | 70 |
| RPTDW_USER_UDF Table | 70 |
| RPTDW_SERVER_HOST Table | 71 |
| RPTDW_ORG_UNIT_MAP Table | 71 |
| RPTDW_REMIX_POOL_PRODUCT Table | 72 |
| RPT_PARTITION_DATA Table | 73 |
| RPTDW_PRICING_LEVEL Table | 73 |
| RPT_DATA_APPEARANCE Table | 74 |
| RPTDW_AGGREGATION_TASK_HISTORY Table | 74 |
| RPTDW_ORG_UNIT_TYPE Table | 75 |
| RPTDW_REMIX_POOL Table | 75 |
| RPT_CAT_IPADDR Table | 76 |

RPT_QC_FEATURES Table 76

RPTDW_USER Table 77

RPT_TIME_OF_DAY_FILTER Table 78

RPT_USAGE_CONTRACT Table 80

RPT_QC_VENDORS Table 80

RPTDW_SOFTWARE_VENDOR Table 81

RPT_ANONYMIZATION_IDENTIFIER Table 81

RPT_TYPE_SUMM_OPTION Table 82

RPTDW_LICENSE_DIST Table 82

RPT_DETAIL_LEVEL Table 83

RPTDW_PRODUCT_FEATURE Table 83

RPTDW_PROJECT Table 83

RPT_SESS_TITLE_TYPE_LIST Table 84

RPTDW_POOL_PRODUCT Table 84

RPTDW_VENDOR Table 85

RPTDW_PRODUCT_LICENSE Table 85

RPT_PENDING_IMPORT Table 86

RPT_RL_QUERY_CONTEXT Table 87

RPT_SESS_TITLE_LIST Table 88

RPT_QC_IPADDR Table 88

RPTDW_PRODUCT Table 88

RPTDW_POOL Table 89

RPTDW_PRODUCER_CONTACT Table 90

RPT_PAGE_LIST Table 91

RPTDW_SOFTWARE_PRODUCER Table 91

RPT_CONFIGURATION Table 92

RPTDW_VENDOR_CONTACT Table 95

RPT_USAGE_SOURCE Table 96

RPTDW_CURRENCY Table 97

RPTDW_REMIX Table 97

RPT_USAGE_SOURCE_SCHEDULE Table 98

RPTDW_AGGREGATION_TO_VENDOR Table 98

RPT_LOG_CATALOG Table 99

RPTDW_CAPABILITY Table 100

RPTDW_ORG_LEVEL Table 100

RPTDW_POSSIBLE_PRODUCT Table 101

Index 103

1

FlexNet Manager for Engineering Applications 2020 R1 Database Schema

The data underlying FlexNet Manager for Engineering Applications is arranged in a number of distinct databases. Most frequently these databases live within a single database server, although in very large scale implementations, it is possible to implement them across multiple servers. The FlexNet Manager for Engineering Applications Database Schema provides schema information on the following tables:

Table 1-1 • FlexNet Manager for Engineering Applications Database Schema

| Topic | Content |
|--------------------------------|--|
| Admin.Common Tables | Describes the database columns in the FlexNet Manager for Engineering Applications Admin.Common tables. |
| Platform.Common Tables | Describes the database columns in the FlexNet Manager for Engineering Applications Platform.Common tables. |
| Reporting.Common Tables | Describes the database columns in the FlexNet Manager for Engineering Applications Reporting.Common tables. |

Legal Information

Copyright Notice

Copyright © 2021 Flexera Software

This publication contains proprietary and confidential information and creative works owned by Flexera Software and its licensors, if any. Any use, copying, publication, distribution, display, modification, or transmission of such publication in whole or in part in any form or by any means without the prior express written permission of Flexera Software is strictly prohibited. Except where expressly provided by Flexera Software in writing, possession of this publication shall not be construed to confer any license or rights under any Flexera Software intellectual property rights, whether by estoppel, implication, or otherwise.

All copies of the technology and related information, if allowed by Flexera Software, must display this notice of copyright and ownership in full.

Intellectual Property

For a list of trademarks and patents that are owned by Flexera Software, see <https://www.flexera.com/legal/intellectual-property.html>. All other brand and product names mentioned in Flexera Software products, product documentation, and marketing materials are the trademarks and registered trademarks of their respective owners.

Restricted Rights Legend

The Software is commercial computer software. If the user or licensee of the Software is an agency, department, or other entity of the United States Government, the use, duplication, reproduction, release, modification, disclosure, or transfer of the Software, or any related documentation of any kind, including technical data and manuals, is restricted by a license agreement or by the terms of this Agreement in accordance with Federal Acquisition Regulation 12.212 for civilian purposes and Defense Federal Acquisition Regulation Supplement 227.7202 for military purposes. The Software was developed fully at private expense. All other use is prohibited.

Product Support Resources

The following resources are available to assist you with using this product:

- [Flexera Product Documentation](#)
- [Flexera Community](#)
- [Flexera Learning Center](#)
- [Flexera Support](#)

Flexera Product Documentation

You can find documentation for all Flexera products on the [Flexera Product Documentation](#) site:

<https://docs.flexera.com>

Flexera Community

On the [Flexera Community](#) site, you can quickly find answers to your questions by searching content from other customers, product experts, and thought leaders. You can also post questions on discussion forums for experts to answer. For each of Flexera's product solutions, you can access forums, blog posts, and knowledge base articles.

<https://community.flexera.com>

Flexera Learning Center

Flexera offers a variety of training courses—both instructor-led and online—to help you understand how to quickly get the most out of your Flexera products. The Flexera Learning Center offers free, self-guided, online training classes. You can also choose to participate in structured classroom training delivered as public classes. You can find a complete list of both online content and public instructor-led training in the Learning Center.

<https://learn.flexera.com>

Flexera Support

For customers who have purchased a maintenance contract for their product(s), you can submit a support case or check the status of an existing case by making selections on the **Get Support** menu of the Flexera Community.

<https://community.flexera.com>

Contact Us

Flexera is headquartered in Itasca, Illinois, and has offices worldwide. To contact us or to learn more about our products, visit our website at:

<http://www.flexera.com>

You can also follow us on social media:

- [Twitter](#)
- [Facebook](#)
- [LinkedIn](#)
- [YouTube](#)
- [Instagram](#)

2

Admin.Common Tables

The **Admin.Common** set of database tables documented here includes:

- MGR_FEATURE Table
- MGR_OTHER_LICENSE_SERVER Table
- MGR_PACKAGECOMPONENT Table
- MGR_SERVERLINE Table
- MGR_FULFILLMENT Table
- MGR_LICSRVR_ADMINSET_ADMIN Table
- MGR_COGNOS_USER_ROLE Table
- MGR_LICENSERIGHTS Table
- MGR_LICENSEPOOLUSER Table
- MGR_VENDORDAEMON Table
- MGR_USESERVERLINE Table
- MGR_OTHER_LICENSE_TEMPLATE Table
- MGR_LICSRVR_ADMINSET Table
- MGR_PACKAGELINE Table
- MGR_VENDORLINE Table
- MGR_AGENT Table
- MGR_COMMENTLINE Table
- MGR_AGENTADMIN_AGENT Table
- MGR_AGENTCONTEXT Table
- MGR_LICENSEFILE Table

- [MGR_DEDUCTION Table](#)
- [MGR_AGENT_ADMIN Table](#)
- [MGR_LUMSERVER Table](#)
- [MGR_OPTIONSFILE Table](#)
- [MGR_ALERT_CONDITION Table](#)
- [MGR_AGENTCONTEXTDATA Table](#)
- [MGR_LICSVRADMSET_LICSVRGRP Table](#)
- [MGR_PRODUCT Table](#)
- [MGR_VENDOR_DAEMON_ALIAS Table](#)
- [MGR_LICENSESERVER Table](#)

MGR_FEATURE Table

This section lists the database columns in the MGR_FEATURE table.

Table 2-1 • MGR_Feature Table

| Database Column | Details |
|-----------------------|---------------------------------------|
| ID | Type: Decimal. |
| LASTUPDATED | Type: TimeStamp. Unique. |
| POS | Type: Integer. Unique. |
| NAME | Type: text (max length 64). Unique. |
| VERSION | Type: text (max length 32). Unique. |
| TYPE | Type: Integer. Unique. |
| LICCOUNT | Type: Integer. Unique. |
| OVERDRAFT | Type: Integer. Unique. |
| VENDORSTRING | Type: text (max length 512). Unique. |
| EXPIRATIONDATE | Type: TimeStamp. Unique |
| SIGNATURE | Type: text (max length 4000). Unique. |
| FEATURELINE | Type: text (max length 4000). Unique. |

Table 2-1 • MGR_Feature Table

| Database Column | Details |
|-----------------|---|
| product | Type: Decimal. References Table: MGR_PRODUCT Table |

MGR_OTHER_LICENSE_SERVER Table

This section lists the database columns in the MGR_OTHER_LICENSE_SERVER table.

Table 2-2 • MGR_OTHER_LICENSE_SERVER Table

| Database Column | Details |
|--------------------|--|
| ID | Type: Decimal. |
| lastUpdated | Type: TimeStamp. Unique. |
| NAME | Type: text (max length 128). Unique. |
| status | Type: Integer. Unique. |
| START_CMD | Type: text (max length 512). Unique. |
| STOP_CMD | Type: text (max length 512). Unique. |
| ROTATE_CMD | Type: text (max length 512). Unique. |
| UPDATE_CMD | Type: text (max length 512). Unique. |
| TIMEZONE | Type: text (max length 255). Unique. |
| template_id | Type: Decimal. References Table: MGR_OTHER_LICENSE_TEMPLATE Backward reference of a LicenseServer to its LicenseServerGroup entity |
| agent_id | Type: Decimal. References Table: MGR_AGENT Table Backward reference of a LicenseServer to its LicenseServerGroup entity |

MGR_PACKAGECOMPONENT Table

This section lists the database columns in the MGR_PACKAGECOMPONENT table.

Table 2-3 • MGR_PACKAGECOMPONENT Table

| Database Column | Details |
|----------------------|--|
| id | Type: Decimal. |
| name | Type: text. Unique. |
| version | Type: text. Unique. |
| package_count | Type: Integer. Unique. |
| lastUpdated | Type: TimeStamp. Unique. |
| packageLine | Type: Decimal. References Table: MGR_PACKAGELINE Table Backward reference of a PackageLine |

MGR_SERVERLINE Table

This section lists the database columns in the MGR_SERVERLINE table.

Table 2-4 • MGR_SERVERLINE Table

| Database Column | Details |
|---------------------|--|
| id | Type: Decimal. |
| lastUpdated | Type: TimeStamp. Unique. |
| lineNumber | Type: Integer. Unique. |
| unparsedLine | Type: text (max length 4000). |
| Unique. host | Type: text. Unique. |
| hostID | Type: text. Unique. |
| ImgrdPort | Type: text. Unique. |
| licenseFile | Type: Decimal. References Table: MGR_LICENSEFILE Table Backward reference of a LicenseFile |

MGR_FULFILLMENT Table

This section lists the database columns in the MGR_FULFILLMENT table.

Table 2-5 • MGR_FULFILLMENT Table

| Database Column | Details |
|--------------------------|---------------------------------------|
| ID | Type: Decimal. |
| LASTUPDATED | Type: TimeStamp. Unique. |
| VERSION | Type: text (max length 32). Unique. |
| FULFILLMENT_ID | Type: text. Unique. |
| DESCRIPTION | Type: text (max length 4000). Unique. |
| ENTITLEMENT_ID | Type: text. Unique. |
| SUITE_ID | Type: text. Unique. |
| ACTIVATION_CHAIN | Type: text (max length 500). Unique. |
| FULFILLMENT_CHAIN | Type: text (max length 500). Unique. |
| DISTANCE | Type: Bigint. Unique. |
| REPAIR | Type: Bigint. Unique. |
| CONCURRAVAIL | Type: Bigint. Unique. |
| CONCURROVERAVAIL | Type: Bigint. Unique. |
| HYBRIDAVAIL | Type: Bigint. Unique. |
| HYBRIDOVERAVAIL | Type: Bigint. Unique. |
| ACTIVATEAVAIL | Type: Bigint. Unique. |
| ACTIVATEOVERAVAIL | Type: Bigint. Unique. |
| CONCURRMAX | Type: Bigint. Unique. |
| CONCURROVERMAX | Type: Bigint. Unique. |
| HYBRIDMAX | Type: Bigint. Unique. |
| HYBRIDOVERMAX | Type: Bigint. Unique. |
| ACTIVATEMAX | Type: Bigint. Unique. |

Table 2-5 • MGR_FULFILLMENT Table

| Database Column | Details |
|---------------------------|--|
| ACTIVATEOVERMAX | Type: Bigint. Unique. |
| CONCURRORIG | Type: Bigint. Unique. |
| CONCURROVERORIG | Type: Bigint. Unique. |
| HYBRIDORIG | Type: Bigint. Unique. |
| HYBRIDOVERORIG | Type: Bigint. Unique. |
| ACTIVATEORIG | Type: Bigint. Unique. |
| ACTIVATEOVERORIG | Type: Bigint. Unique. |
| MAXOVERDURATION | Type: Bigint. Unique. |
| SERVERHOSTID | Type: text. Unique. |
| ORIGEXPIRATIONDATE | Type: TimeStamp. Unique. |
| EXPIRATIONDATE | Type: TimeStamp. Unique. |
| product | Type: Decimal. References Table: MGR_PRODUCT Table |
| parentFulfillment | Type: Decimal. References Table: MGR_FULFILLMENT Table |
| vendorDaemon | Type: Decimal. References Table: MGR_VENDORDAEMON Table |

MGR_LICSRVR_ADMINSET_ADMIN Table

The table MGR_LICSRVR_ADMINSET_ADMIN represents the Users who can administer the LicenseServerAdminSets.

Table 2-6 • MGR_LICSRVR_ADMINSET_ADMIN Table

| Database Column | Details |
|-----------------|---|
| ID | Type: Decimal. The primary key of the MGR_LICSRVR_ADMINSET_ADMIN Table . |

Table 2-6 • MGR_LICSRVR_ADMINSET_ADMIN Table

| Database Column | Details |
|--------------------|---|
| LASTUPDATED | <i>Type:</i> TimeStamp. Unique. The column LASTUPDATED represents the date and time the user information for a LicenseServerAdminSet was last updated. |
| ADMINSET_ID | <i>Type:</i> Decimal. <i>References Table:</i> MGR_LICSRVR_ADMINSET Table The column ADMINSET_ID represents the id of a particular LicenseServerAdminSet. |
| USER_ID | The column USER_ID represent the id of the administrator for the LicenseServerAdminSet. |

MGR_COGNOS_USER_ROLE Table

This section lists the database columns in the MGR_COGNOS_USER_ROLE table.

Table 2-7 • MGR_COGNOS_USER_ROLE Table

| Database Column | Description |
|-----------------|----------------------------|
| ID | <i>Type:</i> Decimal. |
| ROLE | <i>Type:</i> text. Unique. |
| userId | |

MGR_LICENSERIGHTS Table

This section lists the database columns in the MGR_LICENSERIGHTS table.

Table 2-8 • MGR_LICENSERIGHTS Table

| Database Column | Description |
|---------------------|--|
| id | <i>Type:</i> Decimal. |
| lastUpdated | <i>Type:</i> TimeStamp. Unique. |
| lineNumber | <i>Type:</i> Integer. Unique. |
| unparsedLine | <i>Type:</i> text (max length 4000). Unique. |
| featureName | <i>Type:</i> text. Unique. |

Table 2-8 • MGR_LICENSERIGHTS Table

| Database Column | Description |
|---------------------------|---------------------------------------|
| lineType | Type: Integer. Unique. |
| featureNameAlias | Type: text. Unique. |
| vendorDaemonName | Type: text. Unique. |
| seatCount | Type: Bigint. Unique. |
| featureVersion | Type: text. Unique. |
| fromFeatureVersion | Type: text. Unique. |
| toFeatureVersion | Type: text. Unique. |
| expirationDate | Type: TimeStamp. Unique. |
| sign | Type: text (max length 511). Unique. |
| borrow | Type: text. Unique. |
| dupGroup | Type: text. Unique. |
| floatOk | Type: text. Unique. |
| hostBased | Type: text. Unique. |
| hostid | Type: text (max length 4000). Unique. |
| issued | Type: text. Unique. |
| minimim | Type: text. Unique. |
| overdraft | Type: Bigint. Unique. |
| platforms | Type: text. Unique. |
| start_time | Type: TimeStamp. Unique. |
| suiteDupGroup | Type: text. Unique. |
| supersede | Type: text (max length 2000). Unique. |
| tsOk | Type: text. Unique. |
| userBased | Type: text. Unique. |
| vendorString | Type: text (max length 4000). Unique. |

Table 2-8 • MGR_LICENSERIGHTS Table

| Database Column | Description |
|--------------------------|--|
| issuer | Type: text. Unique. |
| sn | Type: text. Unique. |
| assetInfo | Type: text. Unique. |
| distInfo | Type: text. Unique. |
| userInfo | Type: text. Unique. |
| vendorInfo | Type: text. Unique. |
| sort | Type: text. Unique. |
| parsed | Type: Integer. Unique. |
| featureIdentifier | Type: text. Unique. |
| superseded | Type: Boolean. Unique. superseded is true if this license rights line has been superseded, else false |
| licenseFile | Type: Decimal. References Table: MGR_LICENSEFILE Table Backward reference of a LicenseFile |

MGR_LICENSEPOOLUSER Table

This section lists the database columns in the MGR_LICENSEPOOLUSER table.

Table 2-9 • MGR_LICENSEPOOLUSER Table

| Database Column | Description |
|---------------------|--------------------------|
| id | Type: Decimal. |
| lastUpdated | Type: TimeStamp. Unique. |
| userName | Type: text. Unique. |
| hostName | Type: text. Unique. |
| display | Type: text. Unique. |
| checkoutTime | Type: TimeStamp. Unique. |

Table 2-9 • MGR_LICENSEPOOLUSER Table

| Database Column | Description |
|------------------------|--|
| countCheckedOut | Type: Integer. Unique. |
| handle | Type: Integer. Unique. |
| licensePool | Type: Decimal. References Table: MGR_LICENSEPOOL. Backward reference of a LicensePoolUser to its parent LicensePool entity |

MGR_VENDORDAEMON Table

This section lists the database columns in the MGR_VENDORDAEMON table.

Table 2-10 • MGR_VENDORDAEMON Table

| Database Column | Description |
|------------------------|--|
| id | Type: Decimal. |
| lastUpdated | Type: TimeStamp. Unique. |
| name | Type: text. Unique. |
| alias | Type: text. Unique. |
| machineName | Type: text. Unique. |
| portNumber | Type: text. Unique. |
| version | Type: text. Unique. |
| location | Type: text. Unique. |
| status | Type: Integer. Unique. |
| EXTENDED_STATUS | Type: Integer. Unique. |
| FINGERPRINT | Type: text. Unique. |
| ACTIVE | Type: Integer. Unique. The accepted values for "active" are: <ul style="list-style-type: none"> ● 0 = Not active / Orphan / Invalid ● 1 = Active / Valid ● -1 = Updating |

Table 2-10 • MGR_VENDORDAEMON Table

| Database Column | Description |
|----------------------|--|
| STATE | Type: Integer. Unique. |
| licenseServer | Type: Decimal. References Table: MGR_LICENSESERVER Table Backward reference of a VendorDaemon to its parent LicenseServer entity |

MGR_USESERVERLINE Table

This section lists the database columns in the MGR_USESERVERLINE table.

Table 2-11 • MGR_USESERVERLINE Table

| Database Column | Description |
|---------------------|--|
| id | Type: Decimal. |
| lastUpdated | Type: TimeStamp. Unique. |
| lineNumber | Type: Integer. Unique. |
| unparsedLine | Type: text. Unique. |
| licenseFile | Type: Decimal. References Table: MGR_LICENSEFILE Table Backward reference of a LicenseFile |

MGR_OTHER_LICENSE_TEMPLATE Table

This section lists the database columns in the MGR_OTHER_LICENSE_TEMPLATE table.

Table 2-12 • MGR_OTHER_LICENSE_TEMPLATE Table

| Database Column | Description |
|--------------------------|--------------------------------------|
| ID | Type: Decimal. |
| lastUpdated | Type: TimeStamp. Unique. |
| NAME | Type: text (max length 128). Unique. |
| REPORT_LOG_DEF_ID | Type: Decimal. . Unique. |

Table 2-12 • MGR_OTHER_LICENSE_TEMPLATE Table

| Database Column | Description |
|-----------------|--------------------------------------|
| START_CMD | Type: text (max length 512). Unique. |
| STOP_CMD | Type: text (max length 512). Unique. |
| ROTATE_CMD | Type: text (max length 512). Unique. |
| UPDATE_CMD | Type: text (maxlength512). Unique. |

MGR_LICSRVR_ADMINSET Table

The table MGR_LICSRVR_ADMINSET represents a LicenseServerAdminSet is a group of license servers that are managed in an identical manner.

Table 2-13 •

| Database Column | Description |
|-----------------|--|
| ID | Type: Decimal. The primary key of the MGR_LICSRVR_ADMINSET Table . |
| LASTUPDATED | Type: TimeStamp. Unique. The LASTUPDATED column represents the date and time the License Server Adminset was last updated. |
| NAME | Type: text. Unique. The NAME column represents the name of the License Server Admin Set. The name should be unique for each License Server Admin Set. |

MGR_PACKAGELINE Table

This section lists the database columns in the MGR_PACKAGELINE table.

Table 2-14 • MGR_PACKAGELINE Table

| Database Column | Description |
|-----------------|---------------------------------------|
| id | Type: Decimal. |
| lastUpdated | Type: TimeStamp. Unique. |
| lineNumber | Type: Integer. Unique. |
| unparsedLine | Type: text (max length 6000). Unique. |

Table 2-14 • MGR_PACKAGELINE Table

| Database Column | Description |
|-------------------------|--|
| packageName | Type: text. Unique. |
| packageAlias | Type: text. Unique. |
| vendorDaemonName | Type: text. Unique. |
| packageVersion | Type: text. Unique. |
| packageSign | Type: text (max length 511). Unique. |
| components | Type: text (max length 6000). Unique. |
| packageOptions | Type: text. Unique. |
| supersede | Type: text. Unique. |
| superseded | Type: Boolean. Unique. superseded is true if this package line has been superseded, else false |
| licenseFile | Type: Decimal. References Table: MGR_LICENSEFILE Table Backward reference of a LicenseFile |

MGR_VENDORLINE Table

This section lists the database columns in the MGR_VENDORLINE table.

Table 2-15 • MGR_VENDORLINE Table

| Database Column | Details |
|-------------------------------|--------------------------|
| id | Type: Decimal. |
| lastUpdated | Type: TimeStamp. Unique. |
| lineNumber | Type: Integer. Unique. |
| unparsedLine | Type: text. Unique. |
| vendorDaemonName Type: | text. Unique. |
| vendorDaemonPath | Type: text. Unique. |
| optionsFilePath | Type: text. Unique. |

Table 2-15 • MGR_VENDORLINE Table

| Database Column | Details |
|-------------------------|--|
| vendorDaemonPort | Type: text. Unique. |
| licenseFile | Type: Decimal. References Table: MGR_LICENSEFILE Table Backward reference of a LicenseFile |

MGR_AGENT Table

This section lists the database columns in the MGR_AGENT table.

Table 2-16 • MGR_AGENT Table

| Database Column | Details |
|--------------------|---|
| id | Type: Decimal. , The Primary key of the MGR_AGENT Table . |
| lastUpdated | Type: TimeStamp. Unique. The lastUpdated column represents the date and time the agent details were last updated. |
| name | Type: text. Unique. The column name represents the name of the FlexNet agent. |
| machineName | Type: text. Unique. The machineName column represents the host on which the FlexNet agent resides. |
| ipAddress | Type: text. Unique. The ipAddress column represents the ip address of the host on which FlexNet agent resides. |
| version | Type: text. Unique. The column version represents the version of FlexNet Agent. |
| portNumber | Type: text. Unique. The column portNumber represents the port of the FlexNet Agent. |
| type | Type: Integer. Unique. The column type represents the type of agent. The type 0 represents the standard FlexNet Agent. |

Table 2-16 • MGR_AGENT Table

| Database Column | Details |
|----------------------|---|
| status | <p>Type: Integer. Unique.</p> <p>The column status represents the status of the FlexNet Agent.</p> <p>The accepted values for Agent status are:</p> <ul style="list-style-type: none"> ● DOWN = 100 ● UP = 180 ● MANAGEABLE_UP = 170 |
| FINGERPRINT | <p>Type: text. Unique.</p> <p>The column FINGERPRINT represents a unique identifier for a FlexNet agent.</p> |
| protocol | <p>Type: text (max length 32). Unique.</p> <p>The column protocol represents the network protocol used to connect to the FlexNet Agent. It could be either TCP or SSL.</p> |
| region | <p>Type: text (max length 256). Unique.</p> <p>Deprecated</p> |
| billingBucket | <p>Type: text (max length 256). Unique.</p> <p>Deprecated</p> |
| STATE | <p>Type: Integer. Unique.</p> <p>This column is an integer that contains all the measurables. It is an extended state that is later mapped to a simpler status. Each position holds the state of one measurable.</p> |

MGR_COMMENTLINE Table

This section lists the database columns in the MGR_COMMENTLINE table.

Table 2-17 • MGR_COMMENTLINE Table

| Database Column | Details |
|---------------------|--------------------------|
| id | Type: Decimal. |
| lastUpdated | Type: TimeStamp. Unique. |
| lineNumber | Type: Integer. Unique. |
| unparsedLine | Type: text. Unique. |

Table 2-17 • MGR_COMMENTLINE Table

| Database Column | Details |
|--------------------|--|
| licenseFile | Type: Decimal. References Table: MGR_LICENSEFILE Table Backward reference of a LicenseFile |

MGR_AGENTADMIN_AGENT Table

The table MGR_AGENTADMIN_AGENT represents the Administrator of the agent.

Table 2-18 • MGR_AGENTADMIN_AGENT Table

| Database Column | Details |
|-------------------------|--|
| ADMINISTRATOR_ID | Type: Decimal. References Table: MGR_AGENT_ADMIN Table The column ADMINISTRATOR_ID also forms the primary key of the table along with AGENT_ID and also a foreign key to the MGR_AGENT_ADMIN table |
| AGENT_ID | Type: Decimal. References Table: MGR_AGENT Table |

MGR_AGENTCONTEXT Table

This section lists the database columns in the MGR_AGENTCONTEXT table.

Table 2-19 • MGR_AGENTCONTEXT Table

| Database Column | Details |
|--------------------------|------------------------------|
| ID | Type: Decimal. |
| creationDate | Type: TimeStamp. Unique. |
| opname | Type: VARCHAR (255). Unique. |
| callbackClassName | Type: VARCHAR (255). Unique. |
| errorMessage | Type: VARCHAR (255). Unique. |

MGR_LICENSEFILE Table

This section lists the database columns in the MGR_LICENSEFILE table.

Table 2-20 • MGR_LICENSEFILE Table

| Database Column | Details |
|-------------------------------|--|
| id | Type: Decimal. |
| lastUpdated | Type: TimeStamp. Unique. |
| fileChanged | Type: Boolean. Unique. |
| preTransferLocation | Type: text. Unique. |
| postTransferLocation | Type: text. Unique. |
| preTransferMachineName | Type: text. Unique. |
| licenseServer | Type: Decimal. References Table: MGR_LICENSESERVER Table Backward reference of a LicenseServer |

MGR_DEDUCTION Table

The table MGR_DEDUCTION represents the Deduction object for London support representing activation/transfer.

Table 2-21 • MGR_DEDUCTION Table

| Database Column | Details |
|--------------------------|--|
| ID | Type: Decimal. The primary key of the table MGR_DEDUCTION Table |
| LASTUPDATED | Type: TimeStamp. Unique. |
| DESTINATIONSYSTEM | Type: text. Unique. |
| TYPE | Type: text (max length 1). Unique. |
| REGULAR | Type: Boolean. Unique. |
| CONCURRENT | Type: Bigint. Unique. |
| CONCURRENTOVER | Type: Bigint. Unique. |
| HYBRID | Type: Bigint. Unique. |

Table 2-21 • MGR_DEDUCTION Table

| Database Column | Details |
|------------------------|--|
| HYBRIDOVER | Type: Bigint. Unique. |
| ACTIVATABLE | Type: Bigint. Unique. |
| ACTIVATABLEOVER | Type: Bigint. Unique. |
| EXPIRATIONDATE | Type: TimeStamp. Unique. |
| SOURCE_ID | Type: Decimal. References Table: MGR_FULFILLMENT Table Foreign Key to Fulfillment representing the source |
| DESTINATION_ID | Type: Decimal. References Table: MGR_FULFILLMENT Table Foreign Key to Fulfillment representing the destination |

MGR_AGENT_ADMIN Table

The table MGR_AGENT_ADMIN stores information about the users who can Administer the FlexNet Agents.

Table 2-22 • MGR_AGENT_ADMIN Table

| Database Column | Details |
|--------------------|--|
| ID | Type: Decimal. The primary key of the MGR_AGENT_ADMIN Table . |
| LASTUPDATED | Type: Decimal. . Unique. The column LASTUPDATED represents the date and time the administrator of the agent was last updated. |
| USER_ID | The USER_ID references the id of the user who will be the administrator of the Agent. |

MGR_LUMSERVER Table

The table MGR_LUMSERVER represents a Lum Server.

Table 2-23 • MGR_LUMSERVER Table

| Database Column | Details |
|----------------------|---|
| ID | <p>Type: Decimal.</p> <p>The primary key of the table MGR_LUMSERVER Table</p> |
| LASTUPDATED | <p>Type: TimeStamp. Unique.</p> <p>The LASTUPDATED represents the date and time the LUM Server configuration was last updated.</p> |
| CREATION_DATE | <p>Type: Date. Unique.</p> <p>The CREATION_DATE represents the date and time of the LUM server creation.</p> |
| NAME | <p>Type: text (max length 128). Unique.</p> <p>The column NAME represents the name of the Lum server.</p> |
| HOST | <p>Type: text (max length 128). Unique.</p> <p>The column HOST represents the network-resolvable host address where the LUM server resides.</p> |
| VENDOR | <p>Type: text (max length 128). Unique.</p> <p>The column VENDOR represents Vendor name that appears in the LUM server configuration.</p> |
| HOST_IN_LOG | <p>Type: text (max length 128). Unique.</p> <p>The column HOST_IN_LOG represents the host in the Lum server log file.</p> |
| VENDOR_IN_LOG | <p>Type: text (max length 128). Unique.</p> <p>The column VENDOR_IN_LOG represents the vendor in the Lum server log file.</p> |
| status | <p>Type: Integer. Unique.</p> <p>The column status represents the status of the Lum Server. The accepted values for the status are:</p> <ul style="list-style-type: none"> ● DOWN = 100 ● UNKNOWN = 130 ● UP = 180 |

Table 2-23 • MGR_LUMSERVER Table

| Database Column | Details |
|-----------------------------|---|
| DECIMAL_SEPERATOR | <i>Type:</i> text (max length 1). Unique. The DECIMAL_SEPERATOR column represents the Number - decimal separator. The default decimal separator id a period. |
| THOUSAND_SEPERATOR | <i>Type:</i> text (max length 1). Unique. The column THOUSAND_SEPERATOR represents the Number - thousand separator. The default value thousand separator is a comma. |
| TIMEZONE | <i>Type:</i> text. Unique. The column TIMEZONE represents the timezone of the Lum Server. |
| LAST_DENIAL_UPDATEED | <i>Type:</i> Date. Unique. The column LAST_DENIAL_UPDATEED represents the date and time the denial events were last imported from the Lum server. |

MGR_OPTIONSFILE Table

This section lists the database columns in the MGR_OPTIONSFILE table.

Table 2-24 • MGR_OPTIONSFILE Table

| Database Column | Details |
|-------------------------------|---|
| id | <i>Type:</i> Decimal. |
| lastUpdated | <i>Type:</i> TimeStamp. Unique. |
| fileChanged | <i>Type:</i> Boolean. Unique. |
| preTransferLocation | <i>Type:</i> text. Unique. |
| postTransferLocation | <i>Type:</i> text. Unique. |
| preTransferMachineName | <i>Type:</i> text. Unique. |
| debugLogLocation | <i>Type:</i> text. Unique. |
| reportLogLocation | <i>Type:</i> text. Unique. |
| appendToDebugLog | <i>Type:</i> Boolean. Unique. adds + to the debug log options line |

Table 2-24 • MGR_OPTIONSFILE Table

| Database Column | Details |
|--------------------------|---|
| appendToReportLog | Type: Boolean. Unique. adds + to the report log options line |

MGR_ALERT_CONDITION Table

This section lists the database columns in the MGR_ALERT_CONDITION table.

Table 2-25 • MGR_ALERT_CONDITION Table

| Database Column | Details |
|---------------------------|--------------------------|
| ID | Type: Decimal. |
| LASTUPDATED | Type: TimeStamp. Unique. |
| VENDOR_DAEMON | Type: text. Unique. |
| FEATURE_PRODUCT | Type: text. Unique. |
| CONDITION_DATA | Type: text. Unique. |
| INCLUDE_OVERDRAFT | Type: Boolean. Unique. |
| BY_VERSION | Type: Boolean. Unique. |
| alertSubscription_ | |

MGR_AGENTCONTEXTDATA Table

This section lists the database columns in the MGR_AGENTCONTEXTDATA table.

Table 2-26 • MGR_AGENTCONTEXTDATA Table

| Database Column | Details |
|-------------------|---------------------|
| ID | Type: Decimal. |
| paramName | Type: text. Unique. |
| paramType | Type: text. Unique. |
| paramValue | Type: text. Unique. |

Table 2-26 • MGR_AGENTCONTEXTDATA Table

| Database Column | Details |
|---------------------|--|
| agentContext | Type: Decimal. References Table: MGR_AGENTCONTEXT Table |

MGR_LICSVRADMSET_LICSVRGRP Table

This section lists the database columns in the MGR_LICSVRADMSET_LICSVRGRP table.

Table 2-27 • MGR_LICSVRADMSET_LICSVRGRP Table

| Database Column | Description |
|--------------------------------|---|
| ADMINISTRATIVE_SET_ID | Type: Decimal. References Table: MGR_LICSVR_ADMINSET Table The column ADMINISTRATIVE_SET_ID forms the primary of table MGR_LICSVRADMSET_LICSVRGRP and also REFERENCES MGR_LICSVR_ADMINSET (ID). |
| LICENSE_SERVER_GROUP_ID | Type: Decimal. References Table: MGR_LICENSESERVERGROUP |

MGR_PRODUCT Table

This section lists the database columns in the MGR_PRODUCT table.

Table 2-28 • MGR_PRODUCT Table

| Database Column | Details |
|----------------------------|---|
| ID | Type: Decimal. |
| LASTUPDATED | Type: TimeStamp. Unique. |
| NAME | Type: text. Unique. |
| VERSION | Type: text. Unique. |
| FULFILLMENTIDSTR | Type: text. Unique. |
| originalFulfillment | Type: Decimal. References Table: MGR_FULFILLMENT Table |

MGR_VENDOR_DAEMON_ALIAS Table

This section lists the database columns in the MGR_VENDOR_DAEMON_ALIAS table.

Table 2-29 • MGR_VENDOR_DAEMON_ALIAS Table

| Database Column | Details |
|-------------------------|--|
| ID | Type: Decimal. |
| LASTUPDATED | Type: TimeStamp. Unique. |
| ALIAS | Type: text (max length 255). Unique. |
| VENDOR_DAEMON_ID | Type: Decimal. References Table: MGR_VENDORDAEMON Table |

MGR_LICENSESERVER Table

The MGR_LICENSESERVER table stores information relating to a LicenseServer.

Table 2-30 • MGR_LICENSESERVER Table

| Database Column | Details |
|----------------------|---|
| id | Type: Decimal. The primary key of the MGR_LICENSESERVER table. |
| lastUpdated | Type: TimeStamp. Unique. The LastUpdated column represents the date and time the license server manager status was last updated. |
| name | Type: text. Unique. The name column represents the name of the license server |
| hostName | Type: text. Unique. The hostname represents the host name for the license server. |
| hostId | Type: text. Unique. The hostId column represents the host Id of the license server. |
| lmgrdLocation | Type: text. Unique. The lmgrdLocation column represents the path to the lmgrd executable (license server manager) on the license server. |

Table 2-30 • MGR_LICENSESERVER Table

| Database Column | Details |
|----------------------------|---|
| lmgrdVersion | <i>Type:</i> text. Unique. The lmgrdVersion column represents the version of the lmgrd executable (license server manager). |
| portNumber | <i>Type:</i> text. Unique. The portnumber column represents the License manager port. |
| master | <i>Type:</i> Boolean. Unique. The master column represents the whether this License server is the master in a License Server group. |
| newLicenseDirectory | <i>Type:</i> text. Unique. The newLicenseDirectory represents the directory where the licenses will be added. |
| lmutilLocation | <i>Type:</i> text. Unique. The lmutilLocation column represents the path to the lmutil executable on the license server. |
| enableDebugging | <i>Type:</i> Boolean. Unique. The enableDebugging column represents an option to enable creation of debug log for this license server. |
| appendDebugLog | <i>Type:</i> Boolean. Unique. The appendDebugLog column represents an option to append new debug log information to this license server's existing debug log file. |
| licensePaths | <i>Type:</i> text (max length 2048). Unique. The licensePaths column represents the full path to your license files or directories. |
| debugLogLocation | <i>Type:</i> text. Unique. The debugLogLocation column represents the full path to the debug log file. |
| notes | <i>Type:</i> text (max length 1000). Unique. The notes column stores the custom notes for this license server. |
| xlmdown | <i>Type:</i> Boolean. Unique. The xlmdown column represents the running value of the configuration that allows the remote shutdown of this license server. |

Table 2-30 • MGR_LICENSESERVER Table

| Database Column | Details |
|------------------------|---|
| xlmremove | <p>Type: Boolean. Unique.</p> <p>The xlmremove column represents the running value of the configuration that allows the licenses to be freed.</p> |
| is_local | <p>Type: Boolean. Unique.</p> <p>The is_local column represents the configuration that allows the remote shutdown of this license server.</p> |
| serverRole | <p>Type: Integer. Unique.</p> <p>The serverRole column represents whether the license server is Master or Redundant server.</p> |
| status | <p>Type: Integer. Unique.</p> <p>The status column represents the status of a license server. The accepted values for "active" are:</p> <ul style="list-style-type: none"> ● 100 = DOWN ● 130 = UNKNOWN ● 140 = STOPPING ● 150 = STARTING ● 160 = REREADING ● 170 = MANAGEABLE_UP ● 180 = UP |
| EXTENDED_STATUS | <p>Type: Integer. Unique.</p> <p>The EXTENDED_STATUS column represents constant ints used as License Server status descriptions. Mostly to indicate the source of the problem</p> |
| FINGERPRINT | <p>Type: text. Unique.</p> |
| ACTIVE | <p>Type: Integer. Unique.</p> <p>The ACTIVE column represents the state of this license server. The accepted values for "active" are:</p> <ul style="list-style-type: none"> ● 0 = Not active / Orphan / Invalid ● 1 = Active / Valid ● -1 = Updating |

Table 2-30 • MGR_LICENSESERVER Table

| Database Column | Details |
|------------------------------|--|
| STATE | <p>Type: Integer. Unique.</p> <p>This column is an integer that contains all the measurables. It is an extended state that is later mapped to a simpler status. Each position holds the state of one measurable.</p> |
| startParameters | <p>Type: text. Unique.</p> <p>The startParameters column represents the command-line option when starting lmgrd or lmadmin.</p> |
| TIMEZONE | <p>Type: text. Unique.</p> <p>The Timezone column represents the timezone of this license server.</p> |
| agent | <p>Type: Decimal.</p> <p>References Table: MGR_AGENT Table</p> <p>Backward reference of a LicenseServer to its parent Agent entity</p> |
| LicenseServerGroup_id | <p>Type: Decimal.</p> <p>References Table: MGR_AGENT Table</p> <p>The LicenseServerGroup_id represents the LicenseServerGroup to which this license server belongs.</p> |

3

Platform.Common Tables

The **Platform.Common** set of database tables documented here includes:

- [PLT_GROUP Table](#)
- [PLT_ORGUNIT_ORGUNITTYPE Table](#)
- [PLT_USER Table](#)
- [PLT_ORGUNIT_CONTACT Table](#)
- [PLT_ORGUNITTYPE Table](#)
- [PLT_ROLE_PERMISSION Table](#)
- [PLT_EXTPROPTTESTCLASS Table](#)
- [PLT_ALERTTYPE Table](#)
- [PLT_CATEGORY Table](#)
- [PLT_USER_ORGUNIT_ROLE Table](#)
- [PLT_VALIDVALUE Table](#)
- [PLT_ALERT_JOBCONFIG Table](#)
- [PLT_EXTPROPSET Table](#)
- [PLT_AUTHSCHEME Table](#)
- [PLT_ALERT_HANDLERTYPEPROP Table](#)
- [PLT_CONFIGGROUP Table](#)
- [PLT_EXTPROP Table](#)
- [PLT_ENTITYPROPSET Table](#)
- [PLT_DOMAIN Table](#)
- [PLT_ALERT_HANDLERTYPE Table](#)

- [PLT_GROUP_ROLE Table](#)
- [PLT_ALERTTYPE_ROLE Table](#)
- [PLT_ROLE Table](#)
- [PLT_DATASERVICE Table](#)
- [PLT_ORGUNIT Table](#)
- [PLT_RANGEVALUES Table](#)
- [PLT_ALERT_SUBSCRIPTION Table](#)
- [PLT_PERMISSION Table](#)
- [PLT_NOTIFIEDMESSAGES Table](#)
- [PLT_EXTPROP_MULTIVALUE Table](#)
- [PLT_MODULE Table](#)
- [PLT_EXTPROPMETADATA Table](#)
- [PLT_ALERT Table](#)
- [PLT_ALERT_INBOX Table](#)
- [PLT_ALERT_HANDLERCONFIG Table](#)

PLT_GROUP Table

This section lists the database columns in the PLT_GROUP table.

Table 3-1 • PLT_GROUP Table

| Database Column | Details |
|--------------------|--|
| ID | Type: Decimal |
| LASTUPDATED | Type: TimeStamp. Unique. |
| GROUPNAME | Type: text. Unique. |
| DISPLAYNAME | Type: text. Unique. |
| ACTIVE | Type: Integer. Unique. |
| DOMAIN_ID | Type: Decimal. References Table: PLT_DOMAIN Table |

PLT_ORGUNIT_ORGUNITTYPE Table

This section lists the database columns in the PLT_ORGUNIT_ORGUNITTYPE table.

Table 3-2 • PLT_ORGUNIT_ORGUNITTYPE Table

| Database Column | Details |
|-----------------------|--|
| ORGUNIT_ID | Type: Decimal References Table: PLT_ORGUNIT Table |
| ORGUNITTYPE_ID | Type: Decimal References Table: PLT_ORGUNITTYPE Table |

PLT_USER Table

This section lists the database columns in the PLT_USER table.

Table 3-3 • PLT_USER Table

| Database Column | Details |
|--------------------------|--------------------------|
| ID | Type: Decimal |
| LASTUPDATED | Type: TimeStamp. Unique. |
| USERID | Type: text. Unique. |
| SHAREDLOGIN | Type: Integer. Unique. |
| SYSTEMADMIN | Type: Integer. Unique. |
| ACTIVE | Type: Integer. Unique. |
| PHANTOM | Type: Integer. Unique. |
| LOGGEDIN | Type: Integer. Unique. |
| FIRSTFAILTIME | Type: TimeStamp. Unique. |
| LASTFAILTIME | Type: TimeStamp. Unique. |
| FAILEDCOUNT | Type: Integer. Unique. |
| LASTAUTHENTICATED | Type: TimeStamp. Unique. |
| REASONDISABLED | Type: text. Unique. |

Table 3-3 • PLT_USER Table

| Database Column | Details |
|----------------------------|---|
| CREATEDATE | Type: TimeStamp. Unique. |
| CONTACTINFO_ID | Type: Decimal References Table: PLT_CONTACT |
| AUTHSCHEME_ID | Type: Decimal References Table: PLT_AUTHSCHEME Table |
| DOMAIN_ID | Type: Decimal References Table: PLT_DOMAIN Table |
| extendedPropertySet | Type: Decimal References Table: PLT_EXTPROPSET Table |

PLT_ORGUNIT_CONTACT Table

This section lists the database columns in the PLT_ORGUNIT_CONTACT table.

Table 3-4 • PLT_ORGUNIT_CONTACT Table

| Database Column | Details |
|-----------------------|--|
| CONTACTINFO_ID | Type: Decimal References Table: PLT_CONTACT |
| ORG_ID | Type: Decimal References Table: PLT_ORGUNIT Table |

PLT_ORGUNITTYPE Table

This section lists the database columns in the PLT_ORGUNITTYPE table.

Table 3-5 • PLT_ORGUNITTYPE Table

| Database Column | Details |
|--------------------|--------------------------|
| ID | Type: Decimal |
| LASTUPDATED | Type: TimeStamp. Unique. |
| NAME | Type: text. Unique. |

PLT_ROLE_PERMISSION Table

This section lists the database columns in the PLT_ROLE_PERMISSION table.

Table 3-6 • PLT_ROLE_PERMISSION Table

| Database Column | Details |
|---------------------|---|
| GRANTS_ID | Type: Decimal References Table: PLT_PERMISSION Table |
| GRANTEDBY_ID | Type: Decimal References Table: PLT_ROLE Table |

PLT_EXTPROPTTESTCLASS Table

This section lists the database columns in the PLT_EXTPROPTTESTCLASS table.

Table 3-7 • PLT_EXTPROPTTESTCLASS Table

| Database Column | Details |
|----------------------------|---|
| ID | Type: Decimal |
| LASTUPDATED | Type: TimeStamp. Unique. |
| NAME | Type: text. Unique. |
| extendedPropertySet | Type: Decimal References Table: PLT_EXTPROPSET Table |

PLT_ALERTTYPE Table

This section lists the database columns in the PLT_ALERTTYPE table.

Table 3-8 • PLT_ALERTTYPE Table

| Database Column | Details |
|----------------------|---------------------|
| id | Type: Decimal |
| alertType | Type: text. Unique. |
| jobClass | Type: text. Unique. |
| viewBeanClass | Type: text. Unique. |

Table 3-8 • PLT_ALERTTYPE Table

| Database Column | Details |
|------------------------|--|
| DISPLAYURL | Type: text. Unique. |
| CATEGORY | Type: text (max length 255). Unique. |
| TEMPLATE | Type: Integer. Unique. |
| FROMTEMPLATE_ID | Type: Decimal References Table: PLT_ALERTTYPE Table |
| module | Type: Decimal References Table: PLT_MODULE Table |

PLT_CATEGORY Table

This section lists the database columns in the PLT_CATEGORY table.

Table 3-9 • PLT_CATEGORY Table

| Database Column | Details |
|-----------------------|---|
| ID | Type: Decimal |
| LASTUPDATED | Type: TimeStamp. Unique. |
| NAME | Type: text. Unique. |
| SEQUENCENUMBER | Type: Integer. Unique. |
| MODULE_ID | Type: Decimal References Table: PLT_MODULE Table |

PLT_USER_ORGUNIT_ROLE Table

This section lists the database columns in the PLT_USER_ORGUNIT_ROLE table.

Table 3-10 • PLT_USER_ORGUNIT_ROLE Table

| Database Column | Details |
|-----------------|---------|
| ROLE_ID | |

PLT_VALIDVALUE Table

This section lists the database columns in the PLT_VALIDVALUE table.

Table 3-11 • PLT_VALIDVALUE Table

| Database Column | Details |
|--------------------|--|
| ID | Type: Decimal |
| LASTUPDATED | Type: TimeStamp. Unique. |
| VALIDVALUE | Type: text. Unique. |
| METADATA_ID | Type: Decimal References Table: PLT_EXTPROPMETADATA Table |

PLT_ALERT_JOBCONFIG Table

This section lists the database columns in the PLT_ALERT_JOBCONFIG table.

Table 3-12 • PLT_ALERT_JOBCONFIG Table

| Database Column | Details |
|----------------------------|---|
| id | Type: Decimal |
| description | Type: text. Unique. |
| checkInterval | Type: Integer. Unique. |
| checkIntervalUnits | Type: Integer. Unique. |
| displayInUI | Type: Boolean. Unique. |
| ACTIVE | Type: Boolean. Unique. |
| alertType | Type: Decimal References Table: PLT_ALERTTYPE Table |
| extendedPropertySet | Type: Decimal References Table: PLT_EXTPROPSET Table |

PLT_EXTPROPSET Table

This section lists the database columns in the PLT_EXTPROPSET table.

Table 3-13 • PLT_EXTPROPSET Table

| Database Column | Details |
|--------------------|--------------------------|
| ID | Type: Decimal |
| LASTUPDATED | Type: TimeStamp. Unique. |

PLT_AUTHSCHEME Table

This section lists the database columns in the PLT_AUTHSCHEME table.

Table 3-14 • PLT_AUTHSCHEME Table

| Database Column | Details |
|--------------------|--------------------------|
| ID | Type: Decimal |
| LASTUPDATED | Type: TimeStamp. Unique. |
| NAME | Type: text. Unique. |
| IMPLCLASS | Type: text. Unique. |

PLT_ALERT_HANDLERYPEPROP Table

This section lists the database columns in the PLT_ALERT_HANDLERYPEPROP table.

Table 3-15 • PLT_ALERT_HANDLERYPEPROP Table

| Database Column | Details |
|----------------------------|------------------------|
| AlertHandlerType_id | Type: Integer |
| pos | Type: Integer |
| name | Type: text. Unique. |
| defaultValue | Type: text. Unique. |
| resourceKey | Type: text. Unique. |
| prop_size | Type: Integer. Unique. |

PLT_CONFIGGROUP Table

This section lists the database columns in the PLT_CONFIGGROUP table.

Table 3-16 • PLT_CONFIGGROUP Table

| Database Column | Details |
|--------------------------|---|
| ID | Type: Decimal |
| FILE_NAME | Type: varchar (255). Unique. |
| XML_CONFIGURATION | Type: com. flexnet. platform. services. persistence. StringClobType (max length 16384). Unique. |

PLT_EXTPROP Table

This section lists the database columns in the PLT_EXTPROP table.

Table 3-17 • PLT_EXTPROP Table

| Database Column | Details |
|------------------------|---|
| ID | Type: Decimal |
| LASTUPDATED | Type: TimeStamp. Unique. |
| LONGTEXTVALUE | Type: com. flexnet. platform. services. persistence. StringClobType (max length 16384). Unique. |
| TEXTVALUE | Type: text (max length 4000). Unique. |
| DATEVALUE | Type: TimeStamp. Unique. |
| BOOLEANVALUE | Type: java. lang. Boolean. Unique. |
| BELONGSTOSET_ID | Type: Decimal References Table: PLT_EXTPROPSET Table |
| METADATA_ID | Type: Decimal References Table: PLT_EXTPROPMETADATA Table |

PLT_ENTITYPROPSET Table

This section lists the database columns in the PLT_ENTITYPROPSET table.

Table 3-18 • PLT_ENTITYPROPSET Table

| Database Column | Details |
|-----------------|------------------------------------|
| id | Type: Decimal |
| DUMMYCOL | Type: text (max length 1). Unique. |

PLT_DOMAIN Table

This section lists the database columns in the PLT_DOMAIN table.

Table 3-19 • PLT_DOMAIN Table

| Database Column | Details |
|---------------------------------|--------------------------|
| ID | Type: Decimal |
| LASTUPDATED | Type: TimeStamp. Unique. |
| NAME | Type: text. Unique. |
| ACTIVE | Type: Integer. Unique. |
| PROTOCOL | Type: text. Unique. |
| HOST | Type: text. Unique. |
| PORT | Type: Integer. Unique. |
| LOGINNAME | Type: text. Unique. |
| LOGINPASSWORD | Type: text. Unique. |
| PAGESIZE | Type: Integer. Unique. |
| AUTHSEARCHBASE | Type: text. Unique. |
| AUTHSEARCHFILTER | Type: text. Unique. |
| AUTHSEARCHATTRIBUTE | Type: text. Unique. |
| USERSEARCHFILTER | Type: text. Unique. |
| USERDISPLAYNAMEATTRIBUTE | Type: text. Unique. |

Table 3-19 • PLT_DOMAIN Table

| Database Column | Details |
|------------------------------------|---------------------|
| USERDISPLAYDETAILATTRIBUTE | Type: text. Unique. |
| USERORGUNITATTRIBUTE | Type: text. Unique. |
| USEREMAILATTRIBUTE | Type: text. Unique. |
| USERLOCALEATTRIBUTE | Type: text. Unique. |
| USERTIMEZONEATTRIBUTE | Type: text. Unique. |
| GROUPSEARCHFILTER | Type: text. Unique. |
| GROUPDISPLAYNAMEATTRIBUTE | Type: text. Unique. |
| GROUPDISPLAYDETAILATTRIBUTE | Type: text. Unique. |
| GROUPNAMEATTRIBUTE | Type: text. Unique. |

PLT_ALERT_HANDLERTYPE Table

This section lists the database columns in the PLT_ALERT_HANDLERTYPE table.

Table 3-20 • PLT_ALERT_HANDLERTYPE Table

| Database Column | Details |
|---------------------|--|
| id | Type: Decimal |
| handlerClass | Type: text. Unique. |
| alertType | Type: Decimal References Table: PLT_ALERTTYPE Table |

PLT_GROUP_ROLE Table

This section lists the database columns in the PLT_GROUP_ROLE table.

Table 3-21 • PLT_GROUP_ROLE Table

| Database Column | Details |
|-----------------|--|
| GROUP_ID | Type: Decimal References Table: PLT_GROUP Table |

Table 3-21 • PLT_GROUP_ROLE Table

| Database Column | Details |
|-----------------|---|
| ROLE_ID | Type: Decimal References Table: PLT_ROLE Table |

PLT_ALERTTYPE_ROLE Table

This section lists the database columns in the PLT_ALERTTYPE_ROLE table.

Table 3-22 • PLT_ALERTTYPE_ROLE Table

| Database Column | Details |
|---------------------|---|
| ALERTTYPE_ID | |
| ROLES_ID | Type: Decimal References Table: PLT_ROLE Table |

PLT_ROLE Table

This section lists the database columns in the PLT_ROLE table.

Table 3-23 • PLT_ROLE Table

| Database Column | Details |
|------------------------------|--|
| ID | Type: Decimal |
| LASTUPDATED | Type: TimeStamp. Unique. |
| NAME | Type: text. Unique. |
| DESCRIPTION | Type: text. Unique. |
| MUTABLE | Type: Integer. Unique. |
| ACTIVE | Type: Integer. Unique. |
| TYPE | Type: text. Unique. |
| DATASERVICECONTEXT_ID | Type: Decimal References Table: PLT_DATASERVICE Table |

PLT_DATASERVICE Table

This section lists the database columns in the PLT_DATASERVICE table.

Table 3-24 • PLT_DATASERVICE Table

| Database Column | Details |
|----------------------|--|
| ID | Type: Decimal |
| LASTUPDATED | Type: TimeStamp. Unique. |
| NAME | Type: text (max length 255). Unique. |
| HOST | Type: text (max length 255). Unique. |
| PORT | Type: Integer. Unique. |
| TYPE | Type: text (max length 255). Unique. |
| VENDOR | Type: text (max length 255). Unique. |
| LOGINNAME | Type: text (max length 255). Unique. |
| LOGINPASSWORD | Type: text (max length 255). Unique. |
| module_ | Type: Decimal. References Table: PLT_MODULE Table |

PLT_ORGUNIT Table

This section lists the database columns in the PLT_ORGUNIT table.

Table 3-25 • PLT_ORGUNIT Table

| Database Column | Details |
|--------------------|--------------------------|
| ID | Type: Decimal |
| LASTUPDATED | Type: TimeStamp. Unique. |
| NAME | Type: text. Unique. |
| DISPLAYNAME | Type: text. Unique. |
| DESCRIPTION | Type: text. Unique. |
| LINEAGE | Type: text. Unique. |

Table 3-25 • PLT_ORGUNIT Table

| Database Column | Details |
|---------------------|--|
| AUDIT_CREATEDBY | Type: Decimal. Unique. |
| AUDIT_CREATEDON | Type: TimeStamp. Unique. |
| AUDIT_UPDATEDBY | Type: Decimal. Unique. |
| AUDIT_UPDATEDON | Type: TimeStamp. Unique. |
| ADDR_ADDR1 | Type: text (max length 255). Unique. |
| ADDR_ADDR2 | Type: text (max length 255). Unique. |
| ADDR_CITY | Type: text (max length 150). Unique. |
| ADDR_STATE | Type: text (max length 75). Unique. |
| ADDR_ZIPCODE | Type: text (max length 45). Unique. |
| ADDR_COUNTRY | Type: text (max length 75). Unique. |
| ADDR_REGION | Type: text (max length 75). Unique. |
| belongsTo_ | Type: Decimal References Table: PLT_ORGUNIT Table |
| extendedPropertySet | Type: Decimal References Table: PLT_EXTPROPSET Table The name of the property extendedPropertySet (below) is not prefixed with an underscore nor are its getter and setter methods protected because the contract stipulated in the IExtendable interface requires that the getextendedPropertySet and setExtendedPropertySet methods be public. |

PLT_RANGEVALUES Table

This section lists the database columns in the PLT_RANGEVALUES table.

Table 3-26 • PLT_RANGEVALUES Table

| Database Column | Details |
|-----------------|--------------------------|
| ID | Type: Decimal |
| LASTUPDATED | Type: TimeStamp. Unique. |

Table 3-26 • PLT_RANGEVALUES Table

| Database Column | Details |
|-----------------|--|
| MINVALUE | Type: text. Unique. |
| MAXVALUE | Type: text. Unique. |
| metadata | Type: Decimal References Table: PLT_EXTPROPMETADATA Table |

PLT_ALERT_SUBSCRIPTION Table

This section lists the database columns in the PLT_ALERT_SUBSCRIPTION table.

Table 3-27 • PLT_ALERT_SUBSCRIPTION Table

| Database Column | Details |
|----------------------------|---|
| id | Type: Decimal |
| SEVERITY | Type: . Unique. |
| alertType | Type: Decimal References Table: PLT_ALERTTYPE Table |
| subscriber | Type: Decimal References Table: PLT_USER Table |
| extendedPropertySet | Type: Decimal References Table: PLT_EXTPROPSET Table |

PLT_PERMISSION Table

This section lists the database columns in the PLT_PERMISSION table.

Table 3-28 • PLT_PERMISSION Table

| Database Column | Details |
|--------------------|--------------------------|
| ID | Type: Decimal |
| LASTUPDATED | Type: TimeStamp. Unique. |
| NAME | Type: text. Unique. |

Table 3-28 • PLT_PERMISSION Table

| Database Column | Details |
|------------------|---|
| ALIAS | Type: text (max length 128). Unique. |
| category_ | Type: Decimal References Table: PLT_CATEGORY Table |
| MODULE_ID | Type: Decimal References Table: PLT_MODULE Table |

PLT_NOTIFIEDMESSAGES Table

This section lists the database columns in the PLT_NOTIFIEDMESSAGES table.

Table 3-29 • PLT_NOTIFIEDMESSAGES Table

| Database Column | Details |
|-------------------|--------------------------|
| ID | Type: Decimal |
| NOTIFIED | Type: TimeStamp. Unique. |
| MESSAGE_ID | Type: text. Unique. |

PLT_EXTPROP_MULTIVALUE Table

This section lists the database columns in the PLT_EXTPROP_MULTIVALUE table.

Table 3-30 • PLT_EXTPROP_MULTIVALUE Table

| Database Column | Details |
|-----------------------|---------------------------------------|
| EXTPROP_ID | Type: Integer |
| POS | Type: Integer |
| MULTITEXTVALUE | Type: text (max length 4000). Unique. |

PLT_MODULE Table

This section lists the database columns in the PLT_MODULE table.

Table 3-31 • PLT_MODULE Table

| Database Column | Details |
|-----------------------|-------------------------------------|
| ID | Type: Decimal |
| LASTUPDATED | Type: TimeStamp. Unique. |
| NAME | Type: text. Unique. |
| SEQUENCENUMBER | Type: Integer. Unique. |
| VERSION | Type: text (max length 16). Unique. |

PLT_EXTPROPMETADATA Table

This section lists the database columns in the PLT_EXTPROPMETADATA table.

Table 3-32 • PLT_EXTPROPMETADATA Table

| Database Column | Details |
|-----------------------|--------------------------------------|
| ID | Type: Decimal |
| LASTUPDATED | Type: TimeStamp. Unique. |
| CLASSNAME | Type: text (max length 255). Unique. |
| NAME | Type: text (max length 255). Unique. |
| SUBGROUPNAME | Type: text (max length 255). Unique. |
| TYPE | Type: text. Unique. |
| REQUIRED | Type: Boolean. Unique. |
| MAXLENGTH | Type: Integer. Unique. |
| CONSTRAINTTYPE | Type: text (max length 1). Unique. |

PLT_ALERT Table

This section lists the database columns in the PLT_ALERT table.

Table 3-33 • PLT_ALERT Table

| Database Column | Details |
|------------------------|--|
| id | Type: Decimal |
| severity | Type: Integer. Unique. |
| alertMessage | Type: text. Unique. |
| dismissed | Type: Boolean. Unique. |
| dateCreated | Type: TimeStamp. Unique. |
| effectiveDate | Type: TimeStamp. Unique. |
| dateLastHandled | Type: TimeStamp. Unique. |
| alertType | Type: Decimal References Table: PLT_ALERTTYPE Table |
| properties | Type: Decimal References Table: PLT_ENTITYPROPSET Table |

PLT_ALERT_INBOX Table

This section lists the database columns in the PLT_ALERT_INBOX table.

Table 3-34 • PLT_ALERT_INBOX Table

| Database Column | Details |
|--------------------|--|
| ID | Type: Decimal |
| LASTUPDATED | Type: TimeStamp. Unique. |
| DISMISSED | Type: Boolean. Unique. |
| STATUS | Type: . Unique. |
| SEVERITY | Type: . Unique. |
| ALERT_ID | Type: Decimal References Table: PLT_ALERT Table |

Table 3-34 • PLT_ALERT_INBOX Table

| Database Column | Details |
|-----------------|---|
| USER_ID | Type: Decimal References Table: PLT_USER Table |

PLT_ALERT_HANDLERCONFIG Table

This section lists the database columns in the PLT_ALERT_HANDLERCONFIG table.

Table 3-35 • PLT_ALERT_HANDLERCONFIG Table

| Database Column | Details |
|------------------------|--|
| id | Type: Decimal |
| triggerOffset | Type: Integer. Unique. |
| handlerType | Type: Decimal. References Table: PLT_ALERT_HANDLERTYPE Table |
| properties | Type: Decimal. References Table: PLT_ENTITYPROPSET Table |
| SUBSCRIPTION_ID | Type: Decimal. References Table: PLT_ALERT_SUBSCRIPTION Table |

4

Reporting.Common Tables

The **Reporting.Common** set of database Tables documented here includes:

- [RPTDW_TIER Table](#)
- [RPT_EVENT_FIELD_FILTER Table](#)
- [RPTDW_FEATURE Table](#)
- [RPT_QC_USERS Table](#)
- [RPT_USAGE_CONSUMER_DEF Table](#)
- [RPT_RAW_FIELD Table](#)
- [RPT_RAW_FIELD Table](#)
- [RPT_QC_USER_HOSTS Table](#)
- [RPTDW_AGGREGATION_SCHD_TASK Table](#)
- [RPT_CAT_HOST Table](#)
- [RPT_QC_HOSTS Table](#)
- [RPTDW_ORG_UNIT_NODE Table](#)
- [RPTDW_ORG_UNIT_NODE Table](#)
- [RPTDW_PRODUCT_CHOICE Table](#)
- [RPT_USAGE_GAP Table](#)
- [RPT_EVENT_TYPE_FILTER Table](#)
- [RPT_CAT_USER Table](#)
- [RPTDW_TIER_FEATURE Table](#)
- [RPTDW_CONTRACT Table](#)
- [RPT_SESSION Table](#)

- RPT_CAT_FEATURE Table
- RPT_QC_USAGE_SOURCE Table
- RPTDW_CURRENCY_CONVERSION Table
- RPT_CONTRACTED_AGENT Table
- RPTDW_USER_UDF Table
- RPTDW_SERVER_HOST Table
- RPTDW_ORG_UNIT_MAP Table
- RPTDW_REMIX_POOL_PRODUCT Table
- RPT_PARTITION_DATA Table
- RPTDW_PRICING_LEVEL Table
- RPT_DATA_APPEARANCE Table
- RPTDW_AGGREGATION_TASK_HISTORY Table
- RPTDW_ORG_UNIT_TYPE Table
- RPTDW_REMIX_POOL Table
- RPT_CAT_IPADDR Table
- RPT_QC_FEATURES Table
- RPTDW_USER Table
- RPT_TIME_OF_DAY_FILTER Table
- RPT_USAGE_CONTRACT Table
- RPT_QC_VENDORS Table
- RPTDW_SOFTWARE_VENDOR Table
- RPT_ANONYMIZATION_IDENTIFIER Table
- RPT_TYPE_SUMM_OPTION Table
- RPTDW_LICENSE_DIST Table
- RPT_DETAIL_LEVEL Table
- RPTDW_PRODUCT_FEATURE Table
- RPTDW_PROJECT Table
- RPT_SESS_TITLE_TYPE_LIST Table
- RPTDW_POOL_PRODUCT Table
- RPTDW_VENDOR Table
- RPTDW_PRODUCT_LICENSE Table
- RPT_PENDING_IMPORT Table
- RPT_RL_QUERY_CONTEXT Table

- RPT_SESS_TITLE_LIST Table
- RPT_QC_IPADDR Table
- RPTDW_PRODUCT Table
- RPTDW_POOL Table
- RPTDW_PRODUCER_CONTACT Table
- RPT_PAGE_LIST Table
- RPTDW_SOFTWARE_PRODUCER Table
- RPT_CONFIGURATION Table
- RPTDW_VENDOR_CONTACT Table
- RPT_USAGE_SOURCE Table
- RPTDW_CURRENCY Table
- RPTDW_REMIX Table
- RPT_USAGE_SOURCE_SCHEDULE Table
- RPTDW_AGGREGATION_TO_VENDOR Table
- RPT_LOG_CATALOG Table
- RPTDW_CAPABILITY Table
- RPTDW_ORG_LEVEL Table
- RPTDW_POSSIBLE_PRODUCT Table

RPTDW_TIER Table

This section lists the database columns in the RPTDW_TIER table.

Table 4-1 • RPTDW_TIER Table

| Database Column | Details |
|---------------------------|--------------------------------------|
| ID | Type: Decimal |
| NAME | Type: text (max length 255). Unique. |
| COST | Type: Integer. Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |

RPT_EVENT_FIELD_FILTER Table

This section lists the database columns in the RPT_EVENT_FIELD_FILTER table.

Table 4-2 • RPT_EVENT_FIELD_FILTER Table

| Database Column | Details |
|-------------------------|------------------------|
| FILTER_ID | Type: Integer |
| POSITION | Type: Integer |
| FIELD_IDENTIFIER | Type: Integer. Unique. |
| OPERATOR | Type: Integer. Unique. |
| VALUE | Type: text. Unique. |

RPTDW_FEATURE Table

This section lists the database columns in the RPTDW_FEATURE table.

Table 4-3 • RPTDW_FEATURE Table

| Database Column | Details |
|---------------------------|--|
| ID | Type: Decimal |
| NAME | Type: text. Unique. |
| DISPLAY_NAME | Type: text. Unique. |
| SOFTWARE_CATEGORY | Type: text. Unique. |
| COST_FACTOR | Type: Decimal. Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |
| vendorID | Type: Decimal. References Table: RPTDW_VENDOR Table |

RPT_QC_USERS Table

This section lists the database columns in the RPT_QC_USERS table.

Table 4-4 • RPT_QC_USERS Table

| Database Column | Details |
|------------------|--|
| USER_ID | <i>Type:</i> Integer. The USER_ID column is a foreign key to the RPT_RL_QUERY_CONTEXT table. |
| POSITION | <i>Type:</i> Integer. Along with USER_ID, forms a primary key for this table. |
| USER_NAME | <i>Type:</i> text. If specified for a query context, only report logs that contain information for one of the users in USER_NAME will be considered in a report. |

RPT_USAGE_CONSUMER_DEF Table

This section lists the database columns in the RPT_USAGE_CONSUMER_DEF table.

Table 4-5 • RPT_USAGE_CONSUMER_DEF Table

| Database Column | Details |
|-----------------------------------|---------------------------------|
| ID | <i>Type:</i> Decimal |
| LAST_MODIFIED | <i>Type:</i> TimeStamp. Unique. |
| INCLUDES_CHECKOUT_DATA | <i>Type:</i> Boolean. Unique. |
| INCLUDES_DISPLAY | <i>Type:</i> Boolean. Unique. |
| INCLUDES_FLEXLM_VERSION | <i>Type:</i> Boolean. Unique. |
| INCLUDES_GROUP | <i>Type:</i> Boolean. Unique. |
| INCLUDES_HOSTNAME | <i>Type:</i> Boolean. Unique. |
| INCLUDES_IP_ADDRESS | <i>Type:</i> Boolean. Unique. |
| INCLUDES_PLATFORM | <i>Type:</i> Boolean. Unique. |
| INCLUDES_PROJECT | <i>Type:</i> Boolean. Unique. |
| INCLUDES_REQUESTED_VERSION | <i>Type:</i> Boolean. Unique. |
| INCLUDES_USERNAME | <i>Type:</i> Boolean. Unique. |

RPT_RAW_FIELD Table

This section lists the database columns in the RPT_RAW_FIELD table.

Table 4-6 • RPT_RAW_FIELD Table

| Database Column | Details |
|----------------------|------------------------|
| FIELD_ID | Type: Integer |
| POSITION | Type: Integer |
| NAME | Type: text. Unique. |
| WIDTH | Type: Integer. Unique. |
| JUSTIFICATION | Type: Integer. Unique. |
| SEQUENCE_NO | Type: Integer. Unique. |

RPT_QC_USER_HOSTS Table

The RPT_QC_USER_HOSTS table contains information about the hosts for which report logs will be included in a report. In order to appear when a RPT_QC_USER_HOSTS record exists for a context, the host named in the USER_HOST_NAME must appear in the RPT_CAT_HOST table for the given report log.

Table 4-7 • RPT_QC_USER_HOSTS Table

| Database Column | Details |
|-----------------------|---|
| USER_HOST_ID | Type: Integer The USER_HOST_ID column is a foreign key to the RPT_RL_QUERY_CONTEXT table. |
| POSITION | Type: Integer Along with the USER_HOST_ID, forms a primary key for this table. |
| USER_HOST_NAME | Type: text. If specified for a query context, report logs must have one of the hosts in USER_HOST_NAME for the context in order to be considered in a report. |

RPTDW_AGGREGATION_SCHD_TASK Table

This section lists the database columns in the RPTDW_AGGREGATION_SCHD_TASK table.

Table 4-8 • RPTDW_AGGREGATION_SCHD_TASK Table

| Database Column | Details |
|-----------------|---------------|
| ID | Type: Decimal |

Table 4-8 • RPTDW_AGGREGATION_SCHD_TASK Table

| Database Column | Details |
|---------------------------|--------------------------|
| TASK_TYPE | Type: byte. Unique. |
| CREATED_BY | Type: Decimal. Unique. |
| REDO_START_TIME | Type: TimeStamp. Unique. |
| REDO_END_TIME | Type: TimeStamp. Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |

RPT_CAT_HOST Table

This section lists the database columns in the RPT_CAT_HOST table.

Table 4-9 • RPT_CAT_HOST Table

| Database Column | Details |
|------------------|---|
| ID | Type: Decimal |
| HOST_NAME | Type: text. Unique. |
| catalog | Type: Decimal. References Table: RPT_LOG_CATALOG Table |

RPT_QC_HOSTS Table

The RPT_QC_HOSTS table contains information about which hosts will be included in a report's query context.

Table 4-10 • RPT_QC_HOSTS Table

| Database Column | Details |
|------------------|---|
| HOST_ID | Type: Integer. The HOST_ID column is a foreign key to the RPT_RL_QUERY_CONTEXT table. |
| POSITION | Type: Integer. Along with the HOST_ID, forms a primary key for this table |
| HOST_NAME | Type: text. The name of the host to include in the query context. If all hosts are to be included, a value of "ALL" will be used. |

RPTDW_ORG_UNIT_NODE Table

This section lists the database columns in the RPTDW_ORG_UNIT_NODE table.

Table 4-11 • RPTDW_ORG_UNIT_NODE Table

| Database Column | Details |
|---------------------------|---|
| ID | Type: Decimal |
| NAME | Type: text. Unique. |
| DISPLAY_NAME | Type: text. Unique. |
| NOTES | Type: text (max length 1000). Unique. |
| PATH | Type: text (max length 1000). Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |
| type | Type: Decimal. References Table: RPTDW_ORG_UNIT_TYPE Table |
| project | Type: Decimal. References Table: RPTDW_PROJECT Table |
| user | Type: Decimal. References Table: RPTDW_USER Table |
| serverHost | Type: Decimal. References Table: RPTDW_SERVER_HOST Table |

RPTDW_PRODUCT_CHOICE Table

This section lists the database columns in the RPTDW_PRODUCT_CHOICE table.

Table 4-12 • RPTDW_PRODUCT_CHOICE Table

| Database Column | Details |
|--------------------------------|--------------------------|
| ID | Type: Decimal |
| REASON_CHOSEN | Type: Integer. Unique. |
| DATE_CHOSEN | Type: TimeStamp. Unique. |
| OVERRIDE_EFFECTIVE_DATE | Type: TimeStamp. Unique. |

Table 4-12 • RPTDW_PRODUCT_CHOICE Table

| Database Column | Details |
|---------------------------|---|
| NOTES | Type: text (max length 1000). Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |
| chosenProduct | Type: Decimal. References Table: RPTDW_PRODUCT Table |
| overrideProduct | Type: Decimal. References Table: RPTDW_PRODUCT Table |

RPT_USAGE_GAP Table

This section lists the database columns in the RPT_USAGE_GAP table.

Table 4-13 • RPT_USAGE_GAP Table

| Database Column | Details |
|-------------------|---|
| ID | Type: Decimal |
| START_DATE | Type: TimeStamp. Unique. |
| END_DATE | Type: TimeStamp. Unique. |
| GAP_TYPE | Type: Integer. Unique. |
| reportLog | Type: Decimal. References Table: RPT_LOG_CATALOG Table |

RPT_EVENT_TYPE_FILTER Table

This section lists the database columns in the RPT_EVENT_TYPE_FILTER table.

Table 4-14 • RPT_EVENT_TYPE_FILTER Table

| Database Column | Details |
|------------------------|----------------|
| EVENT_FILTER_ID | |
| EVENT_TYPE | Type: Integer. |

RPT_CAT_USER Table

This section lists the database columns in the RPT_CAT_USER table.

Table 4-15 • RPT_CAT_USER Table

| Database Column | Details |
|------------------|---|
| ID | Type: Decimal |
| USER_NAME | Type: text. Unique. |
| catalog | Type: Decimal. References Table: RPT_LOG_CATALOG Table |

RPTDW_TIER_FEATURE Table

This section lists the database columns in the RPTDW_TIER_FEATURE table.

Table 4-16 • RPTDW_TIER_FEATURE Table

| Database Column | Details |
|---------------------------|---|
| ID | Type: Decimal |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |
| tier | Type: Decimal. References Table: RPTDW_TIER Table |
| feature | Type: Decimal. References Table: RPTDW_FEATURE Table |

RPTDW_CONTRACT Table

This section lists the database columns in the RPTDW_CONTRACT table.

Table 4-17 • RPTDW_CONTRACT Table

| Database Column | Details |
|----------------------|------------------------|
| ID | Type: Decimal |
| CONTRACT_NAME | Type: text. Unique. |
| FIXED_COST | Type: Integer. Unique. |

Table 4-17 • RPTDW_CONTRACT Table

| Database Column | Details |
|-----------------------|---|
| VARIABLE_COST | Type: Integer. Unique. |
| NOTES | Type: text (max length 1000). Unique. |
| START_DATE | Type: TimeStamp. Unique. |
| END_DATE | Type: TimeStamp. Unique. |
| CONTRACT_VALUE | Type: Integer. Unique. |
| NEXT_MAINTENANCE_DATE | Type: TimeStamp. Unique. |
| PAYMENT_AMOUNT | Type: Integer. Unique. |
| PAYMENT_START_DATE | Type: TimeStamp. Unique. |
| PAYMENT_END_DATE | Type: TimeStamp. Unique. |
| PAYMENT_INTERVAL | Type: Integer. Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |
| vendor | Type: Decimal. References Table: RPTDW_SOFTWARE_VENDOR Table |
| currency | Type: Decimal. References Table: RPTDW_CURRENCY Table |

RPT_SESSION Table

This section lists the database columns in the RPT_SESSION table.

Table 4-18 • RPT_SESSION Table

| Database Column | Details |
|-----------------|--|
| ID | Type: Decimal. The ID column is the synthetic primary key for the RPT_SESSION table. |
| USER_NAME | Type: text. Unique. The name of the user who ran the report. |
| USER_ID | Type: Decimal. Unique. The ID of the usr who ran the report. |
| TIME_STARTED | Type: TimeStamp. Unique. The time at which the report started running. |

Table 4-18 • RPT_SESSION Table

| Database Column | Details |
|---------------------------------|--|
| TIME_FINISHED | <i>Type:</i> TimeStamp. Unique. The time at which the report finished running. |
| TITLE | <i>Type:</i> text. Unique. The TITLE Column holds the value from the NAME column of the RPT_CONFIGURATION table for the row that defines the report being run. |
| PERCENT_COMPLETE | <i>Type:</i> Integer. Unique. The PERCENT_COMPLETE column contains a value from 0 to 100 representing the progress of the report. |
| NOTIFY_TO | <i>Type:</i> text. Unique. Deprecated |
| STATE | <i>Type:</i> Integer. Unique. The STATE column holds information about the report run. Possible values are: 1: Scheduled, 2: Complete, 3: Reviewed, 4: Failed, 5: Running, 6: Interrupted, 7: Partial complete, 9: Could not execute, and 10: No data. |
| STATUS_LOG | <i>Type:</i> text(max length 4000). Unique. The STATUS_LOG column may contain a message relating to the status of the report, for example a failure reason. |
| REPORT_GEN_RETURN_STATUS | <i>Type:</i> Integer. Unique. The REPORT_GEN_RETURN_STATUS will be populated in the event of a failure running a report. Possible values are: 0: No failure, -1: General failure, -101: License checkout failure. |
| PUBLISH_DIRECTORY | <i>Type:</i> text. Unique. The PUBLISH_DIRECTORY contains the full path to where the report will be published to upon completion. |
| OWNER_USER_ID | <i>Type:</i> Decimal. Unique. Deprecated |
| PRODUCT_TITLE | <i>Type:</i> text. Unique. The PRODUCT_TITLE column contains the title of the report. |
| NUM_PAGES | <i>Type:</i> Integer. Unique. Deprecated |
| FILE_NAME_BASE | <i>Type:</i> text. Unique. The base file name used when saving the report files to disk. |
| LOCATION_DIRECTORY | <i>Type:</i> text. Unique. The LOCATION_DIRECTORY is the relative path to the report output within the data directory. |
| DEBUG_FILE | <i>Type:</i> text. Unique. The name of the debug file written to disk for the report. |
| config | <p><i>Type:</i> Decimal.</p> <p><i>References Table:</i> RPT_CONFIGURATION Table</p> <p>The NAME Column holds the value from the ID column of the RPT_CONFIGURATION table for the row that defines the report being run.</p> |

RPT_CAT_FEATURE Table

This section lists the database columns in the RPT_CAT_FEATURE table.

Table 4-19 • RPT_CAT_FEATURE Table

| Database Column | Details |
|---------------------|---|
| ID | Type: Decimal |
| FEATURE_NAME | Type: text. Unique. |
| catalog | Type: Decimal. References Table: RPT_LOG_CATALOG Table |

RPT_QC_USAGE_SOURCE Table

The RPT_QC_USAGE_SOURCES table contains information about the agent sources to include in the query context. If specified, the context will only include RPT_LOG_CATALOG records whose AGENT_SOURCE_ID, AGENT_SOURCE_ID2, or AGENT_SOURCE_ID3 values match on USAGE_SOURCE

Table 4-20 • RPT_QC_USAGE_SOURCE Table

| Database Column | Details |
|------------------------|---|
| USAGE_SOURCE_ID | Type: Integer. The USAGE_SOURCE_ID column is a foreign key to the RPT_RL_QUERY_CONTEXT table. |
| POSITION | Type: Integer. Along with the USAGE_SOURCE_ID, forms a primary key for this table |
| USAGE_SOURCE | Type: Bigint. The USAGE_SOURCE is an ID that must appear in the GENT_SOURCE_ID, AGENT_SOURCE_ID2, or AGENT_SOURCE_ID3 columns of a RPT_LOG_CATALOG record in order for it to be considered in the query context. |

RPTDW_CURRENCY_CONVERSION Table

This section lists the database columns in the RPTDW_CURRENCY_CONVERSION table.

Table 4-21 • RPTDW_CURRENCY_CONVERSION Table

| Database Column | Details |
|-----------------|---------------|
| ID | Type: Decimal |

Table 4-21 • RPTDW_CURRENCY_CONVERSION Table

| Database Column | Details |
|---------------------------|--|
| CONVERSION_FACTOR | Type: Decimal. Unique. |
| EFFECTIVE_DATE | Type: TimeStamp. Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |
| fromCurrency | Type: Decimal. References Table: RPTDW_CURRENCY Table |
| toCurrency | Type: Decimal. References Table: RPTDW_CURRENCY Table |

RPT_CONTRACTED_AGENT Table

This section lists the database columns in the RPT_CONTRACTED_AGENT table.

Table 4-22 • RPT_CONTRACTED_AGENT Table

| Database Column | Details |
|----------------------|--|
| ID | Type: Decimal |
| LAST_MODIFIED | Type: TimeStamp. Unique. |
| usageContract | Type: Decimal. References Table: RPT_USAGE_CONTRACT Table |
| usageSource | Type: Decimal. References Table: RPT_USAGE_SOURCE Table |

RPTDW_USER_UDF Table

This section lists the database columns in the RPTDW_USER_UDF table.

Table 4-23 • RPTDW_USER_UDF Table

| Database Column | Details |
|--------------------|-------------------------------------|
| ID | Type: Decimal |
| CUSTOM_NAME | Type: text (max length 32). Unique. |

Table 4-23 • RPTDW_USER_UDF Table

| Database Column | Details |
|-------------------|-------------------------------------|
| LABEL_NAME | Type: text (max length 64). Unique. |

RPTDW_SERVER_HOST Table

This section lists the database columns in the RPTDW_SERVER_HOST table.

Table 4-24 • RPTDW_SERVER_HOST Table

| Database Column | Details |
|---------------------------|--------------------------|
| ID | Type: Decimal |
| HOST_NAME | Type: text. Unique. |
| DISPLAY_NAME | Type: text. Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |

RPTDW_ORG_UNIT_MAP Table

This section lists the database columns in the RPTDW_ORG_UNIT_MAP table.

Table 4-25 •

| Database Column | Details |
|---------------------------|---|
| ID | Type: Decimal |
| START_DATE | Type: TimeStamp. Unique. |
| END_DATE | Type: TimeStamp. Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |
| childOrgUnit | Type: Decimal. References Table: RPTDW_ORG_UNIT_NODE Table |
| parentOrgUnit | Type: Decimal. References Table: RPTDW_ORG_UNIT_NODE Table |

RPTDW_REMIX_POOL_PRODUCT Table

This section lists the database columns in the RPTDW_REMIX_POOL_PRODUCT table.

Table 4-26 • RPTDW_REMIX_POOL_PRODUCT Table

| Database Column | Details |
|----------------------------------|---------------------------------------|
| ID | Type: Decimal |
| OVERRIDE_QTY | Type: Integer. Unique. |
| ADDITIONAL_QTY | Type: Integer. Unique. |
| BUFFER_PERCENT | Type: Decimal. Unique. |
| ACCEPTABLE_DENIAL_PERCENT | Type: Decimal. Unique. |
| EFFECTIVE_PEAK | Type: Integer. Unique. |
| PEAK_USAGE | Type: Integer. Unique. |
| PEAK_COUNT | Type: Integer. Unique. |
| TIME_AT_PEAK | Type: Integer. Unique. |
| DENIALS_AT_PEAK | Type: Integer. Unique. |
| TREND_SLOPE | Type: Decimal. Unique. |
| CURRENT_QTY | Type: Integer. Unique. |
| EXTERNAL_QTY | Type: Integer. Unique. |
| FORECAST_QTY | Type: Integer. Unique. |
| SUGGESTED_QTY | Type: Integer. Unique. |
| CURRENT_NET_COST | Type: Integer. Unique. |
| SUGGESTED_NET_COST | Type: Integer. Unique. |
| OVERRIDE_NET_COST | Type: Integer. Unique. |
| NOTES | Type: text (max length 1000). Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |
| remixPool | Type: Decimal. |

References Table: [RPTDW_REMIX_POOL Table](#)

Table 4-26 • RPTDW_REMIX_POOL_PRODUCT Table

| Database Column | Details |
|-----------------|---|
| product | Type: Decimal. References Table: RPTDW_PRODUCT Table |

RPT_PARTITION_DATA Table

This section lists the database columns in the RPT_PARTITION_DATA table.

Table 4-27 • RPT_PARTITION_DATA Table

| Database Column | Details |
|--------------------------|------------------------|
| ID | Type: Decimal |
| TABLE_NAME | Type: text. Unique. |
| MIGRATED_BOUNDARY | Type: Integer. Unique. |
| STATUS | Type: Integer. Unique. |
| SCHEDULE | Type: text. Unique. |
| LAST_ERR_MSG | Type: text. Unique. |
| START_BOUNDARY | Type: Integer. Unique. |
| END_BOUNDARY | Type: Integer. Unique. |
| COMPRESSION | Type: Integer. Unique. |

RPTDW_PRICING_LEVEL Table

This section lists the database columns in the RPTDW_PRICING_LEVEL table.

Table 4-28 • RPTDW_PRICING_LEVEL Table

| Database Column | Details |
|---------------------|------------------------|
| ID | Type: Decimal |
| MIN_QUANTITY | Type: Integer. Unique. |
| MAX_QUANTITY | Type: Integer. Unique. |
| LIST_PRICE | Type: Integer. Unique. |

Table 4-28 • RPTDW_PRICING_LEVEL Table

| Database Column | Details |
|---------------------------|--|
| NOTES | Type: text (max length 1000). Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |
| poolProduct | Type: Decimal. References Table: RPTDW_POOL_PRODUCT Table |

RPT_DATA_APPEARANCE Table

This section lists the database columns in the RPT_DATA_APPEARANCE table.

Table 4-29 • RPT_DATA_APPEARANCE Table

| Database Column | Details |
|--------------------|------------------------|
| DATA_APP_ID | Type: Integer |
| POSITION | Type: Integer |
| COLOR_NAME | Type: text. Unique. |
| LINE_STYLE | Type: Integer. Unique. |
| SEQUENCE | Type: Integer. Unique. |

RPTDW_AGGREGATION_TASK_HISTORY Table

This section lists the database columns in the RPTDW_AGGREGATION_TASK_HISTORY table.

Table 4-30 • RPTDW_AGGREGATION_TASK_HISTORY Table

| Database Column | Details |
|-------------------------------------|--------------------------|
| ID | Type: Decimal |
| TASK_STATUS | Type: byte. Unique. |
| TASK_START_TIME | Type: TimeStamp. Unique. |
| LAST_AGGREGATION_COMMIT_TIME | Type: TimeStamp. Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |

Table 4-30 • RPTDW_AGGREGATION_TASK_HISTORY Table

| Database Column | Details |
|-----------------|---|
| taskID | Type: Decimal. References Table: RPTDW_AGGREGATION_SCHD_TASK Table |

RPTDW_ORG_UNIT_TYPE Table

This section lists the database columns in the RPTDW_ORG_UNIT_TYPE table.

Table 4-31 • RPTDW_ORG_UNIT_TYPE Table

| Database Column | Details |
|----------------------------------|-----------------------------------|
| ID | Type: Decimal |
| ORG_TYPE_NAME | Type: text. Unique. |
| INCLUDE_USER | Type: Boolean. Unique. |
| INCLUDE_HOST | Type: Boolean. Unique. |
| INCLUDE_PROJECT | Type: Boolean. Unique. |
| STATUS | Type: byte. Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |
| HYBRID | Type: Boolean. Unique. |
| EXCLUDE_SCHED_AGGREGATION | Type: Boolean. |
| Unique. IS_VIRTUAL | Type: Boolean. Unique. properties |

RPTDW_REMIX_POOL Table

This section lists the database columns in the RPTDW_REMIX_POOL table.

Table 4-32 • RPTDW_REMIX_POOL Table

| Database Column | Details |
|---------------------------|------------------------|
| ID | Type: Decimal |
| REMIXABLE_PERCENT | Type: Decimal. Unique. |
| CURRENT_POOL_VALUE | Type: Integer. Unique. |

Table 4-32 • RPTDW_REMIX_POOL Table

| Database Column | Details |
|-----------------------------|---|
| SUGGESTED_POOL_VALUE | Type: Integer. Unique. |
| FINAL_POOL_VALUE | Type: Integer. Unique. |
| AMOUNT_REMIXED | Type: Integer. Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |
| remix | Type: Decimal. References Table: RPTDW_REMIX Table |
| pool | Type: Decimal. References Table: RPTDW_POOL Table |

RPT_CAT_IPADDR Table

This section lists the database columns in the RPT_CAT_IPADDR table.

Table 4-33 • RPT_CAT_IPADDR Table

| Database Column | Details |
|-----------------|---|
| ID | Type: Decimal |
| IPADDR | Type: text. Unique. |
| catalog | Type: Decimal. References Table: RPT_LOG_CATALOG Table |

RPT_QC_FEATURES Table

The RPT_QC_FEATURES table contains information about which features will be included in a report's query context.

Table 4-34 • RPT_QC_FEATURES Table

| Database Column | Details |
|-------------------|--|
| FEATURE_ID | Type: Integer. The FEATURE_ID column is a foreign key to the RPT_RL_QUERY_CONTEXT table. |
| POSITION | Type: Integer. Along with the FEATURE_ID, forms a primary key for this table |

Table 4-34 • RPT_QC_FEATURES Table

| Database Column | Details |
|---------------------|---|
| FEATURE_NAME | <i>Type:</i> text. The name of the feature to include in the query context. If all features are to be included a value of 'ALL' will be used. |

RPTDW_USER Table

This section lists the database columns in the RPTDW_USER table.

Table 4-35 • RPTDW_USER Table

| Database Column | Details |
|-----------------------|---|
| ID | <i>Type:</i> Decimal |
| NAME | <i>Type:</i> text. Unique. |
| FIRST_NAME | <i>Type:</i> text. Unique. |
| LAST_NAME | <i>Type:</i> text. Unique. |
| EMAIL | <i>Type:</i> text. Unique. |
| PHONE_NUMBER | <i>Type:</i> text. Unique. |
| CELL_NUMBER | <i>Type:</i> text. Unique. |
| ADDRESS1 | <i>Type:</i> text. Unique. |
| ADDRESS2 | <i>Type:</i> text. Unique. |
| CITY | <i>Type:</i> text. Unique. |
| POSTAL_CODE | <i>Type:</i> text. Unique. |
| STATE_PROVINCE | <i>Type:</i> text. Unique. |
| COUNTRY | <i>Type:</i> text. Unique. |
| DEPARTMENT | <i>Type:</i> text. Unique. |
| CUSTOM1 | <i>Type:</i> text (max length 255). Unique. |
| CUSTOM2 | <i>Type:</i> text (max length 255). Unique. |
| CUSTOM3 | <i>Type:</i> text (max length 255). Unique. |
| CUSTOM4 | <i>Type:</i> text (max length 255). Unique. |

Table 4-35 • RPTDW_USER Table

| Database Column | Details |
|---------------------------|--------------------------------------|
| CUSTOM5 | Type: text (max length 255). Unique. |
| CUSTOM6 | Type: text (max length 255). Unique. |
| CUSTOM7 | Type: text (max length 255). Unique. |
| CUSTOM8 | Type: text (max length 255). Unique. |
| CUSTOM9 | Type: text (max length 255). Unique. |
| CUSTOM10 | Type: text (max length 255). Unique. |
| CUSTOM11 | Type: text (max length 255). Unique. |
| CUSTOM12 | Type: text (max length 255). Unique. |
| CUSTOM13 | Type: text (max length 255). Unique. |
| STATUS | Type: text (max length 50). Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |

RPT_TIME_OF_DAY_FILTER Table

The RPT_TIME_OF_DAY_FILTER table contains information about the time periods to include in a report.

Table 4-36 • RPT_TIME_OF_DAY_FILTER Table

| Database Column | Details |
|------------------|---|
| FILTER_ID | Type: Integer. Foreign key to the RPT_CONFIGURATION table. |
| POSITION | Type: Integer. Along with FILTER_ID, forms a primary key for this table |

Table 4-36 • RPT_TIME_OF_DAY_FILTER Table

| Database Column | Details |
|-------------------|---|
| START_DAY | <p><i>Type:</i> Integer. Unique.</p> <p>The START_DAY column indicates which day of the week the time period starts. Possible values are:</p> <ul style="list-style-type: none"> ● 1: Sunday ● 2: Monday ● 3: Tuesday ● 4: Wednesday ● 5: Thursday ● 6: Friday ● 7: Saturday |
| START_TIME | <p><i>Type:</i> Integer. Unique.</p> <p>The START_TIME column indicates time each day from which the period covers. The value of this column is the number of seconds from the beginning of the day. eg: A time of 1am would have a value of "3600".</p> |
| END_DAY | <p><i>Type:</i> Integer. Unique.</p> <p>The END_DAY column indicates which day of the week the time period ends. Possible values are:</p> <ul style="list-style-type: none"> ● 1: Sunday ● 2: Monday ● 3: Tuesday ● 4: Wednesday ● 5: Thursday ● 6: Friday ● 7: Saturday |
| END_TIME | <p><i>Type:</i> Integer. Unique.</p> <p>The END_TIME column indicates the time each day until which the period covers. The value of this column is the number of seconds from the beginning of the day. eg: A time of 1am would have a value of "3600".</p> |

RPT_USAGE_CONTRACT Table

This section lists the database columns in the RPT_USAGE_CONTRACT table.

Table 4-37 • RPT_USAGE_CONTRACT Table

| Database Column | Details |
|-------------------------|--|
| ID | Type: Decimal |
| LAST_MODIFIED | Type: TimeStamp. Unique. |
| NAME | Type: text (max length 255). Unique. |
| DESCRIPTION | Type: text (max length 255). Unique. |
| REFERENCE_NUMBER | Type: text (max length 255). Unique. |
| owner | |
| supplier | |
| usageConsumer | Type: Decimal. References Table: RPT_USAGE_CONSUMER_DEF Table |

RPT_QC_VENDORS Table

The RPT_QC_VENDORS table contains information about the vendors for which report logs will be included in a report.

Table 4-38 • RPT_QC_VENDORS Table

| Database Column | Details |
|--------------------|---|
| VENDOR_ID | Type: Integer. The VENDOR_ID column is a foreign key to the RPT_RL_QUERY_CONTEXT table, |
| POSITION | Type: Integer. Along with VENDOR_ID, forms a primary key for this table. |
| VENDOR_NAME | Type: text. The name of the vendor to include in the query context. If all vendors are to be included, a value of "ALL" will be used. |

RPTDW_SOFTWARE_VENDOR Table

This section lists the database columns in the RPTDW_SOFTWARE_VENDOR table.

Table 4-39 • RPTDW_SOFTWARE_VENDOR Table

| Database Column | Details |
|---------------------------|---------------------------------------|
| ID | Type: Decimal |
| NAME | Type: text (max length 255). Unique. |
| SOFTWARE_CATEGORY | Type: text (max length 255). Unique. |
| NOTES | Type: text (max length 1000). Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |

RPT_ANONYMIZATION_IDENTIFIER Table

This section lists the database columns in the RPT_ANONYMIZATION_IDENTIFIER table.

Table 4-40 • RPT_ANONYMIZATION_IDENTIFIER Table

| Database Column | Details |
|------------------------|--|
| ID | Type: Decimal |
| LAST_MODIFIED | Type: TimeStamp. Unique. |
| OWNER_ID_STRING | Type: text (max length 255). Unique. The "ownerIDString" field is supplied along with the foreign key to the owner OrgUnit because the anonymization information for a new customer is typically discovered (and must be stored) before an OrgUnit for that customer has been created. |
| ANON_ID_STRING | Type: text (max length 255). Unique. |
| owner | |

RPT_TYPE_SUMM_OPTION Table

This section lists the database columns in the RPT_TYPE_SUMM_OPTION table.

Table 4-41 • RPT_TYPE_SUMM_OPTION Table

| Database Column | Details |
|--------------------------|----------------|
| SUMMARY_OPTION_ID | Type: Integer |
| POSITION | Type: Integer |
| SUMM_OPTION | Type: Integer. |

RPTDW_LICENSE_DIST Table

This section lists the database columns in the RPTDW_LICENSE_DIST table.

Table 4-42 • RPTDW_LICENSE_DIST Table

| Database Column | Details |
|---------------------------|---|
| ID | Type: Decimal |
| QUANTITY | Type: Decimal. Unique. |
| START_DATE | Type: TimeStamp. Unique. |
| END_DATE | Type: TimeStamp. Unique. |
| NOTES | Type: text (max length 1000). Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |
| productLicense | Type: Decimal. References Table: RPTDW_PRODUCT_LICENSE Table |
| orgUnit | Type: Decimal. References Table: RPTDW_ORG_UNIT_NODE Table |

RPT_DETAIL_LEVEL Table

This section lists the database columns in the RPT_DETAIL_LEVEL table.

Table 4-43 • RPT_DETAIL_LEVEL Table

| Database Column | Details |
|------------------------|----------------|
| DETAIL_LEVEL_ID | Type: Integer |
| POSITION | Type: Integer |
| DETAIL_LEVEL | Type: Integer. |

RPTDW_PRODUCT_FEATURE Table

This section lists the database columns in the RPTDW_PRODUCT_FEATURE table.

Table 4-44 • RPTDW_PRODUCT_FEATURE Table

| Database Column | Details |
|----------------------------|---|
| ID | Type: Decimal |
| MIN_FEATURE_VERSION | Type: text (max length 255). Unique. |
| FEATURE_QTY | Type: Integer. Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |
| product | Type: Decimal. References Table: RPTDW_PRODUCT Table |
| feature | Type: Decimal. References Table: RPTDW_FEATURE Table |

RPTDW_PROJECT Table

This section lists the database columns in the RPTDW_PROJECT table.

Table 4-45 • RPTDW_PROJECT Table

| Database Column | Details |
|-----------------|---------------|
| ID | Type: Decimal |

Table 4-45 • RPTDW_PROJECT Table

| Database Column | Details |
|--------------------|--------------------------|
| LM_PROJECT | Type: text. Unique. |
| DISPLAY_NAME | Type: text. Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |

RPT_SESS_TITLE_TYPE_LIST Table

The RPT_SESS_TITLE_TYPE_LIST table stores information about the type of output produced from running a report. A report may have multiple output types.

Table 4-46 • RPT_SESS_TITLE_TYPE_LIST Table

| Database Column | Details |
|-----------------|---|
| TYPE_ID | Type: Integer. The TYPE_ID column is a foreign key to the RPT_SESSION table. |
| POSITION | Type: Integer. Along with TYPE_ID, forms a primary key for this table. |
| TITLE_TYPE | Type: Integer. The TITLE_TYPE indicates the output type of the report. Possible values are: 0: Unknown, 1: Text, 2: RIF, 3: HTML, 4: JPEG, 5: PNG, 6: Image_toc, 7: RIF_toc, 8: XML, 9: XLS, 10: HTML_toc |

RPTDW_POOL_PRODUCT Table

This section lists the database columns in the RPTDW_POOL_PRODUCT table.

Table 4-47 • RPTDW_POOL_PRODUCT Table

| Database Column | Details |
|--------------------|---|
| ID | Type: Decimal |
| PRICING_MODEL | Type: Integer. Unique. |
| LIST_PRICE | Type: Integer. Unique. |
| NOTES | Type: text (max length 1000). Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |
| product | Type: Decimal. References Table: RPTDW_PRODUCT Table |

Table 4-47 • RPTDW_POOL_PRODUCT Table

| Database Column | Details |
|-----------------|--|
| pool | Type: Decimal. References Table: RPTDW_POOL Table |

RPTDW_VENDOR Table

This section lists the database columns in the RPTDW_VENDOR table.

Table 4-48 • RPTDW_VENDOR Table

| Database Column | Details |
|---------------------------|---|
| ID | Type: Decimal |
| VENDOR_NAME | Type: text. Unique. |
| DISPLAY_NAME | Type: text. Unique. |
| LICENSE_SYSTEM | Type: short. Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |
| softwareProducer | Type: Decimal. References Table: RPTDW_SOFTWARE_PRODUCER Table |

RPTDW_PRODUCT_LICENSE Table

This section lists the database columns in the RPTDW_PRODUCT_LICENSE table.

Table 4-49 • RPTDW_PRODUCT_LICENSE Table

| Database Column | Details |
|---------------------------|--------------------------|
| ID | Type: Decimal |
| CURRENT_QUANTITY | Type: Integer. Unique. |
| EFFECTIVE_DATE | Type: TimeStamp. Unique. |
| EXPIRE_DATE | Type: TimeStamp. Unique. |
| NET_PRICE | Type: Integer. Unique. |
| ANNUAL_FEE_PERCENT | Type: Decimal. Unique. |

Table 4-49 • RPTDW_PRODUCT_LICENSE Table

| Database Column | Details |
|----------------------------|---|
| PO_NUMBER | Type: text. Unique. |
| PURCHASE_REQ_NUMBER | Type: text. Unique. |
| NOTES | Type: text (max length 1000). Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |
| pool | Type: Decimal. References Table: RPTDW_POOL Table |
| product | Type: Decimal. References Table: RPTDW_PRODUCT Table |

RPT_PENDING_IMPORT Table

This section lists the database columns in the RPT_PENDING_IMPORT table.

Table 4-50 • RPT_PENDING_IMPORT Table

| Database Column | Details |
|-------------------------------|--------------------------|
| ID | Type: Decimal |
| LAST_MODIFIED | Type: TimeStamp. Unique. |
| FILE_TYPE | Type: Integer. Unique. |
| OWNER_ID_STRING | Type: text. Unique. |
| USAGE_SOURCE_ID_STRING | Type: text. Unique. |
| ORIGINAL_FILENAME | Type: text. Unique. |
| PATHNAME | Type: text. Unique. |
| ANON_ID_STRING | Type: text. Unique. |
| HOSTNAME | Type: text. Unique. |
| EMAIL | Type: text. Unique. |
| TIMEZONE | Type: text. Unique. |
| GMT_MINUTES_OFFSET | Type: Integer. Unique. |

Table 4-50 • RPT_PENDING_IMPORT Table

| Database Column | Details |
|--------------------------------|--------------------------|
| START_DATE | Type: TimeStamp. Unique. |
| END_DATE | Type: TimeStamp. Unique. |
| SENDING_PROGRAM | Type: text. Unique. |
| SENDING_PROGRAM_VERSION | Type: text. Unique. |
| VENDOR_DAEMON | Type: text. Unique. |
| VENDOR_DAEMON_VERSION | Type: text. Unique. |
| TRIAD_ID | Type: Decimal. Unique. |
| STATUS | Type: Integer. Unique. |
| FAILURE_COUNT | Type: Integer. Unique. |

RPT_RL_QUERY_CONTEXT Table

The RPT_RL_QUERY_CONTEXT table represents a context within which a report will run. The context defines the set of report logs that will be considered when generating the report. The full context is defined by this table, and by those that reference it.

Table 4-51 • RPT_RL_QUERY_CONTEXT Table

| Database Column | Details |
|-------------------|---|
| ID | Type: Decimal. The ID column is the synthetic primary key for the RPT_RL_QUERY_CONTEXT table. |
| START_DATE | Type: TimeStamp. Unique. The START_DATE column defines the beginning of the time span covered by the context. If the context does not cover a time span, this value will be null. |
| END_DATE | Type: TimeStamp. Unique. The END_DATE column defines the end of the timespan covered by the context. If the time span does not cover a context, then this value will be null. |
| TIMEZONE | Type: text (max length 255). Unique. Deprecated |

RPT_SESS_TITLE_LIST Table

The RPT_SESS_TITLE_LIST table stores information about the names of files produced for a given report. A report may have multiple outputs. The output type for each file is stored in the RPT_SESS_TITLE_TYPE_LIST table.

Table 4-52 • RPT_SESS_TITLE_LIST Table

| Database Column | Details |
|-----------------|--|
| TITLE_ID | <i>Type:</i> Integer. The TITLE_ID column is a foreign key to the RPT_SESSION table. |
| POSITION | <i>Type:</i> Integer. Along with TITLE_ID, forms a primary key for this table. |
| TITLE | <i>Type:</i> text. The file name of the output of the report. |

RPT_QC_IPADDR Table

The RPT_QC_IPADDR table contains information about the IP addresses for report logs will be included in a report's query context

Table 4-53 • RPT_QC_IPADDR Table

| Database Column | Details |
|------------------|---|
| IPADDR_ID | <i>Type:</i> Integer. The IPADDR_ID column is a foreign key to the RPT_RL_QUERY_CONTEXT table. |
| POSITION | <i>Type:</i> Integer. Along with the IPADDR_ID, forms a primary key for this table. |
| IPADDR | <i>Type:</i> text. The IP address of sources of report logs that are to be included in the query context. |

RPTDW_PRODUCT Table

This section lists the database columns in the RPTDW_PRODUCT table.

Table 4-54 • RPTDW_PRODUCT Table

| Database Column | Details |
|------------------------|---|
| ID | <i>Type:</i> Decimal |
| PRODUCT_NAME | <i>Type:</i> text (max length 255). Unique. |
| PRODUCT_NUMBER | <i>Type:</i> text (max length 255). Unique. |
| PRODUCT_VERSION | <i>Type:</i> text (max length 50). Unique. |

Table 4-54 • RPTDW_PRODUCT Table

| Database Column | Details |
|---------------------------|---|
| PRODUCT_CATEGORY | Type: text (max length 255). Unique. |
| PRODUCT_FAMILY | Type: text (max length 255). Unique. |
| NOTES | Type: text (max length 1000). Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |
| softwareProducer | Type: Decimal. References Table: RPTDW_SOFTWARE_PRODUCER Table |

RPTDW_POOL Table

This section lists the database columns in the RPTDW_POOL table.

Table 4-55 • RPTDW_POOL Table

| Database Column | Details |
|---------------------------|--------------------------|
| ID | Type: Decimal |
| POOL_NAME | Type: text. Unique. |
| INITIAL_VALUE | Type: Integer. Unique. |
| IS_PRODUCTION | Type: Boolean. Unique. |
| REMIXABLE_PERCENT | Type: Decimal. Unique. |
| REMIXES_PER_YEAR | Type: Integer. Unique. |
| NEXT_REMIX_DATE | Type: TimeStamp. Unique. |
| DISCOUNT_PERCENT | Type: Decimal. Unique. |
| UPLIFT_PERCENT | Type: Decimal. Unique. |
| ANNUAL_FEE_PERCENT | Type: Decimal. Unique. |
| SHAREABLE_TYPE | Type: Integer. Unique. |
| LICENSING_MODEL | Type: Integer. Unique. |
| GEOGRAPHY | Type: text. Unique. |

Table 4-55 • RPTDW_POOL Table

| Database Column | Details |
|---------------------------|---|
| SITE | Type: text. Unique. |
| NOTES | Type: text (max length 1000). Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |
| contract | Type: Decimal. References Table: RPTDW_CONTRACT Table |
| orgUnit | Type: Decimal. References Table: RPTDW_ORG_UNIT_NODE Table |

RPTDW_PRODUCER_CONTACT Table

This section lists the database columns in the RPTDW_PRODUCER_CONTACT table.

Table 4-56 • RPTDW_PRODUCER_CONTACT Table

| Database Column | Details |
|---------------------|---------------------|
| ID | Type: Decimal |
| NAME | Type: text. Unique. |
| FIRST_NAME | Type: text. Unique. |
| LAST_NAME | Type: text. Unique. |
| CONTACT_TYPE | Type: text. Unique. |
| EMAIL | Type: text. Unique. |
| OFFICE_PHONE | Type: text. Unique. |
| CELL_PHONE | Type: text. Unique. |
| FAX_PHONE | Type: text. Unique. |
| ADDRESS1 | Type: text. Unique. |
| ADDRESS2 | Type: text. Unique. |
| ADDRESS3 | Type: text. Unique. |
| CITY | Type: text. Unique. |

Table 4-56 • RPTDW_PRODUCER_CONTACT Table

| Database Column | Details |
|--------------------|---|
| POSTAL_CODE | Type: text. Unique. |
| STATE_PROVINCE | Type: text. Unique. |
| COUNTRY | Type: text. Unique. |
| NOTES | Type: text (max length 1000). Unique. |
| STATUS | Type: text. Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |
| producer | Type: Decimal. References Table: RPTDW_SOFTWARE_PRODUCER Table |

RPT_PAGE_LIST Table

This section lists the database columns in the RPT_PAGE_LIST table.

Table 4-57 • RPT_PAGE_LIST Table

| Database Column | Details |
|-----------------|---------------|
| PAGE_ID | Type: Integer |
| POSITION | Type: Integer |
| PAGE | Type: text. |

RPTDW_SOFTWARE_PRODUCER Table

This section lists the database columns in the RPTDW_SOFTWARE_PRODUCER table.

Table 4-58 • RPTDW_SOFTWARE_PRODUCER Table

| Database Column | Details |
|-------------------|---------------------------------------|
| ID | Type: Decimal |
| NAME | Type: text (max length 255). Unique. |
| SOFTWARE_CATEGORY | Type: text (max length 255). Unique. |
| NOTES | Type: text (max length 1000). Unique. |

Table 4-58 • RPTDW_SOFTWARE_PRODUCER Table

| Database Column | Details |
|--------------------|--------------------------|
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |

RPT_CONFIGURATION Table

This section lists the database columns in the RPT_CONFIGURATION table.

Table 4-59 • RPT_CONFIGURATION Table

| Database Column | Details |
|--------------------|--------------------------|
| ID | Type: Decimal |
| NAME | Type: text. Unique. |
| DESCRIPTION | Type: text. Unique. |
| USER_NAME | Type: text. Unique. |
| USER_ID | Type: Decimal. Unique. |
| DATE_CREATED | Type: TimeStamp. Unique. |
| DATE_LAST_RUN | Type: TimeStamp. Unique. |
| NEXT_SCHEDULED_RUN | Type: TimeStamp. Unique. |
| SHOW_ZERO | Type: Boolean. Unique. |
| REPORT_TYPE | Type: Integer. Unique. |
| BARCHART_METRIC | Type: Integer. Unique. |
| FILTER_USED | Type: Boolean. Unique. |
| FILTER_QUEUED | Type: Boolean. Unique. |
| FILTER_EXCEPTION | Type: Boolean. Unique. |
| FILTER_DENIED | Type: Boolean. Unique. |
| FILTER_ULT_DENIED | Type: Boolean. Unique. |
| SUMMARY_PERIOD | Type: Integer. Unique. |
| RIF_DELIMITER | Type: text. Unique. |

Table 4-59 • RPT_CONFIGURATION Table

| Database Column | Details |
|--------------------------------|------------------------|
| AUTO_REDUCE | Type: Boolean. Unique. |
| UOT_SHOW_AVAIL | Type: Boolean. Unique. |
| UOT_SHOW_PERCENT | Type: Boolean. Unique. |
| HWM_SHOW_AVAIL | Type: Boolean. Unique. |
| HWM_SHOW_PERCENT | Type: Boolean. Unique. |
| GENERATE_TEXT | Type: Boolean. Unique. |
| GENERATE_HTML | Type: Boolean. Unique. |
| GENERATE_JPEG | Type: Boolean. Unique. |
| GENERATE_PNG | Type: Boolean. Unique. |
| GENERATE_RIF | Type: Boolean. Unique. |
| GENERATE_XML | Type: Boolean. Unique. |
| GAP_THRESHOLD | Type: Integer. Unique. |
| ENABLE_DENIAL_ELIM | Type: Boolean. Unique. |
| DENIAL_ELIM_WINDOW_SIZE | Type: Integer. Unique. |
| TITLE | Type: text. Unique. |
| SORT_ORDER | Type: text. Unique. |
| FEATURE_IDEN_MODE | Type: Integer. Unique. |
| TIME_AS_SECONDS | Type: Boolean. Unique. |
| ENCODING_NAME | Type: text. Unique. |
| INCLUDE_USERNAME | Type: Boolean. Unique. |
| SCHEDULED_BY_NAME | Type: text. Unique. |
| SCHEDULED_BY_ID | Type: Decimal. Unique. |
| SCHEDULE_INTERVAL_SPEC | Type: text. Unique. |
| REPORT_DATA_DATE_RANGE | Type: Integer. Unique. |

Table 4-59 • RPT_CONFIGURATION Table

| Database Column | Details |
|-----------------------------|--|
| REQ_START_DATE | Type: TimeStamp. Unique. |
| REQ_END_DATE | Type: TimeStamp. Unique. |
| EXTERNAL_OUTPUT_DIR | Type: text. Unique. |
| EXTERNAL_OUTPUT_MODE | Type: Integer. Unique. |
| TIMEZONE | Type: text (max length 255). Unique. |
| POST_PROCESS_COMMAND | Type: text (max length 4000). Unique. |
| BG_COLOR | Type: text. Unique. |
| BG_GRADIENT_COLOR | Type: text. Unique. |
| TEXT_COLOR | Type: text. Unique. |
| PLOTAREA_COLOR | Type: text. Unique. |
| GRADIENT | Type: text. Unique. |
| THREE_D | Type: text. Unique. |
| TEMPLATE | Type: text. Unique. |
| BARCOLOR | Type: text. Unique. |
| IMAGE_X | Type: Integer. Unique. |
| IMAGE_Y | Type: Integer. Unique. |
| FONT_FACE | Type: text. Unique. |
| POINT_SIZE | Type: Integer. Unique. |
| LINE_WIDTH | Type: Integer. Unique. |
| IS_BOLD | Type: Boolean. Unique. |
| IS_ITALIC | Type: Boolean. Unique. |
| usageContract | Type: Decimal. References Table: RPT_USAGE_CONTRACT Table |

Table 4-59 • RPT_CONFIGURATION Table

| Database Column | Details |
|-----------------------|--|
| RLQueryContext | Type: Decimal. References Table: RPT_RL_QUERY_CONTEXT Table |

RPTDW_VENDOR_CONTACT Table

This section lists the database columns in the RPTDW_VENDOR_CONTACT table.

Table 4-60 • RPTDW_VENDOR_CONTACT Table

| Database Column | Details |
|-----------------------|---------------------------------------|
| ID | Type: Decimal |
| NAME | Type: text. Unique. |
| FIRST_NAME | Type: text. Unique. |
| LAST_NAME | Type: text. Unique. |
| CONTACT_TYPE | Type: text. Unique. |
| EMAIL | Type: text. Unique. |
| OFFICE_PHONE | Type: text. Unique. |
| CELL_PHONE | Type: text. Unique. |
| FAX_PHONE | Type: text. Unique. |
| ADDRESS1 | Type: text. Unique. |
| ADDRESS2 | Type: text. Unique. |
| ADDRESS3 | Type: text. Unique. |
| CITY | Type: text. Unique. |
| POSTAL_CODE | Type: text. Unique. |
| STATE_PROVINCE | Type: text. Unique. |
| COUNTRY | Type: text. Unique. |
| NOTES | Type: text (max length 1000). Unique. |

Table 4-60 • RPTDW_VENDOR_CONTACT Table

| Database Column | Details |
|---------------------------|---|
| STATUS | Type: text. Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |
| vendor | Type: Decimal. References Table: RPTDW_SOFTWARE_VENDOR Table |

RPT_USAGE_SOURCE Table

This section lists the database columns in the RPT_USAGE_SOURCE table.

Table 4-61 • RPT_USAGE_SOURCE Table

| Database Column | Details |
|-------------------------------|---|
| ID | Type: Decimal |
| LAST_MODIFIED | Type: TimeStamp. Unique. |
| NAME | Type: text. Unique. |
| SERVER_HOST | Type: text (max length 150). Unique. Combination of serverHost and owner is unique. |
| USAGE_RECEIVED | Type: TimeStamp. Unique. |
| LAST_USAGE_KNOWN | Type: TimeStamp. Unique. |
| EMAIL | Type: text. Unique. |
| STATUS | Type: text (max length 1). Unique. |
| TIMEZONE | Type: text. Unique. |
| GMT_MINUTES_OFFSET | Type: Integer. Unique. |
| USAGE_SOURCE_ID_STRING | Type: text. Unique. |
| OWNER_ID | Backward reference of a UsageSource to its OrgUnitentity |

RPTDW_CURRENCY Table

This section lists the database columns in the RPTDW_CURRENCY table.

Table 4-62 • RPTDW_CURRENCY Table

| Database Column | Details |
|---------------------------|--------------------------|
| ID | Type: Decimal |
| CURRENCY_NAME | Type: text. Unique. |
| CURRENCY_SYMBOL | Type: text. Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |

RPTDW_REMIX Table

This section lists the database columns in the RPTDW_REMIX table.

Table 4-63 • RPTDW_REMIX Table

| Database Column | Details |
|------------------------------|--|
| ID | Type: Decimal |
| REMIX_NAME | Type: text. Unique. |
| REMIX_DUE_DATE | Type: TimeStamp. Unique. |
| TREND_DATA_START_DATE | Type: TimeStamp. Unique. |
| TREND_DATA_END_DATE | Type: TimeStamp. Unique. |
| FORECAST_USAGE_DATE | Type: TimeStamp. Unique. |
| COMPLETION_DATE | Type: TimeStamp. Unique. |
| ANALYZE_DATE | Type: TimeStamp. Unique. |
| NET_VALUE_CHANGE | Type: Integer. Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |
| NOTES | Type: text (max length 1000). Unique. |
| contract | Type: Decimal. References Table: RPTDW_CONTRACT Table |

RPT_USAGE_SOURCE_SCHEDULE Table

This section lists the database columns in the RPT_USAGE_SOURCE_SCHEDULE table.

Table 4-64 • RPT_USAGE_SOURCE_SCHEDULE Table

| Database Column | Details |
|--------------------------|--|
| ID | Type: Decimal |
| LAST_MODIFIED | Type: TimeStamp. Unique. |
| VENDOR_DAEMON | Type: text (max length 255). Unique. |
| SCHEDULE | Type: text (max length 4096). Unique. |
| PREVIOUS_SCHEDULE | Type: text (max length 4096). Unique. |
| usageSource | Type: Decimal. References Table: RPT_USAGE_SOURCE Table |

RPTDW_AGGREGATION_TO_VENDOR Table

This section lists the database columns in the RPTDW_AGGREGATION_TO_VENDOR table.

Table 4-65 • RPTDW_AGGREGATION_TO_VENDOR Table

| Database Column | Details |
|---------------------------|---|
| ID | Type: Decimal |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |
| vendorID | Type: Decimal. References Table: RPTDW_VENDOR Table |
| taskID | Type: Decimal. References Table: RPTDW_AGGREGATION_SCHD_TASK Table |

RPT_LOG_CATALOG Table

This section lists the database columns in the RPT_LOG_CATALOG table.

Table 4-66 • RPT_LOG_CATALOG Table

| Database Column | Details |
|-------------------------|--|
| ID | Type: Decimal |
| LAST_MODIFIED | Type: TimeStamp. Unique. |
| FILE_NAME | Type: text. Unique. |
| ORIG_NAME | Type: text. Unique. |
| FILE_SIZE | Type: Bigint. Unique. |
| VENDOR_NAME | Type: text. Unique. |
| LICENSE_GROUP | Type: Bigint. Unique. |
| HOST_NAME | Type: text. Unique. |
| HOST_NAME2 | Type: text. Unique. |
| HOST_NAME3 | Type: text. Unique. |
| DATE_START | Type: TimeStamp. Unique. |
| DATE_END | Type: text: TimeStamp. Unique. |
| LOAD_STATUS | Type: text. Unique. |
| TRANSFORM_STATUS | Type: Bigint. Unique. |
| LICENSE_SYSTEM | Type: short. Unique. owner |
| agentSource | Type: Decimal. References Table: RPT_USAGE_SOURCE Table |
| agentSource2 | Type: Decimal. References Table: RPT_USAGE_SOURCE Table |
| agentSource3 | Type: Decimal. References Table: RPT_USAGE_SOURCE Table |

RPTDW_CAPABILITY Table

This section lists the database columns in the RPTDW_CAPABILITY table.

Table 4-67 • RPTDW_CAPABILITY Table

| Database Column | Details |
|---------------------------|---|
| ID | Type: Decimal |
| CAPABILITY_NAME | Type: text. Unique. |
| DISPLAY_NAME | Type: text. Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |
| featureID | Type: Decimal. References Table: RPTDW_FEATURE Table |

RPTDW_ORG_LEVEL Table

This section lists the database columns in the RPTDW_ORG_LEVEL table.

Table 4-68 • RPTDW_ORG_LEVEL Table

| Database Column | Details |
|---------------------------|---|
| ID | Type: Decimal |
| LEVEL_NAME | Type: text (max length 255). Unique. |
| LEVEL_NUMBER | Type: Integer. Unique. |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |
| type | Type: Decimal. References Table: RPTDW_ORG_UNIT_TYPE Table |

RPTDW_POSSIBLE_PRODUCT Table

This section lists the database columns in the RPTDW_POSSIBLE_PRODUCT table.

Table 4-69 • RPTDW_POSSIBLE_PRODUCT Table

| Database Column | Details |
|---------------------------|--|
| ID | Type: Decimal |
| LAST_MODIFIED_TIME | Type: TimeStamp. Unique. |
| product | Type: Decimal. References Table: RPTDW_PRODUCT Table |
| productChoice | Type: Decimal. References Table: RPTDW_PRODUCT_CHOICE Table |

Index

M

MGR_AGENT 24
MGR_AGENT_ADMIN 28
MGR_AGENTADMIN_AGENT 26
MGR_AGENTCONTEXT 26
MGR_AGENTCONTEXTDATA 31
MGR_ALERT_CONDITION 31
MGR_COGNOS_USER_ROLE 17
MGR_COMMENTLINE 25
MGR_DEDUCTION 27
MGR_FEATURE 12
MGR_FULFILLMENT 15
MGR_LICENSEFILE 27
MGR_LICENSEPOOLUSER 19
MGR_LICENSERIGHTS 17
MGR_LICENSESERVER 33
MGR_LICSRVR_ADMINSET 22
MGR_LICSRVR_ADMINSET_ADMIN 16
MGR_LICSVRADMSET_LICSVRGRP 32
MGR_LUMSERVER 29
MGR_OPTIONSFILE 30
MGR_OTHER_LICENSE_SERVER 13
MGR_OTHER_LICENSE_TEMPLATE 21
MGR_PACKAGECOMPONENT 14
MGR_PACKAGELINE 22
MGR_PRODUCT 32
MGR_SERVERLINE 14
MGR_USESERVERLINE 21
MGR_VENDOR_DAEMON_ALIAS 33
MGR_VENDORDAEMON 20
MGR_VENDORLINE 23

P

PLT_ALERT 54
PLT_ALERT_HANDLERCONFIG 55
PLT_ALERT_HANDLERTYPE 47
PLT_ALERT_HANDLERTYPEPROP 44
PLT_ALERT_INBOX 54
PLT_ALERT_JOBCONFIG 43
PLT_ALERT_SUBSCRIPTION 51
PLT_ALERTTYPE 41
PLT_ALERTTYPE_ROLE 48
PLT_AUTHSCHEME 44
PLT_CATEGORY 42
PLT_CONFIGGROUP 45
PLT_DATASERVICE 49
PLT_DOMAIN 46
PLT_ENTITYPROPSET 46
PLT_EXTPROP 45
PLT_EXTPROP_MULTIVALUE 52
PLT_EXTPROPMETADATA 53
PLT_EXTPROPSET 44
PLT_EXTPROPTTESTCLASS 41
PLT_GROUP 38
PLT_GROUP_ROLE 47
PLT_MODULE 53
PLT_NOTIFIEDMESSAGES 52
PLT_ORGUNIT 49
PLT_ORGUNIT_CONTACT 40
PLT_ORGUNIT_ORGUNITTYPE 39
PLT_ORGUNITTYPE 40
PLT_PERMISSION 51
PLT_RANGEVALUES 50
PLT_ROLE 48
PLT_ROLE_PERMISSION 41
PLT_USER 39

PLT_USER_ORGUNIT_ROLE 42
 PLT_VALIDVALUE 43

R

RPT_ANONYMIZATION_IDENTIFIER 81
 RPT_CAT_FEATURE 69
 RPT_CAT_HOST 63
 RPT_CAT_IPADDR 76
 RPT_CAT_USER 66
 RPT_CONFIGURATION 92
 RPT_CONTRACTED_AGENT 70
 RPT_DATA_APPEARANCE 74
 RPT_DETAIL_LEVEL 83
 RPT_EVENT_FIELD_FILTER 60
 RPT_EVENT_TYPE_FILTER 65
 RPT_LOG_CATALOG 99
 RPT_PAGE_LIST 91
 RPT_PARTITION_DATA 73
 RPT_PENDING_IMPORT 86
 RPT_QC_FEATURES 76
 RPT_QC_HOSTS 63
 RPT_QC_IPADDR 88
 RPT_QC_USAGE_SOURCE 69
 RPT_QC_USER_HOSTS 62
 RPT_QC_USERS 61
 RPT_QC_VENDORS 80
 RPT_RAW_FIELD 62
 RPT_RL_QUERY_CONTEXT 87
 RPT_SESS_TITLE_LIST 88
 RPT_SESS_TITLE_TYPE_LIST 84
 RPT_SESSION 67
 RPT_TIME_OF_DAY_FILTER 78
 RPT_TYPE_SUMM_OPTION 82
 RPT_USAGE_CONSUMER_DEF 61
 RPT_USAGE_CONTRACT 80
 RPT_USAGE_GAP 65
 RPT_USAGE_SOURCE 96
 RPT_USAGE_SOURCE_SCHEDULE 98
 RPTDW_AGGREGATION_SCHD_TASK 62
 RPTDW_AGGREGATION_TASK_HISTORY 74
 RPTDW_AGGREGATION_TO_VENDOR 98
 RPTDW_CAPABILITY 100
 RPTDW_CONTRACT 66
 RPTDW_CURRENCY 97
 RPTDW_CURRENCY_CONVERSION 69
 RPTDW_FEATURE 60
 RPTDW_LICENSE_DIST 82
 RPTDW_ORG_LEVEL 100
 RPTDW_ORG_UNIT_MAP 71
 RPTDW_ORG_UNIT_NODE 64
 RPTDW_ORG_UNIT_TYPE 75
 RPTDW_POOL 89
 RPTDW_POOL_PRODUCT 84
 RPTDW_POSSIBLE_PRODUCT 101
 RPTDW_PRICING_LEVEL 73
 RPTDW_PRODUCER_CONTACT 90
 RPTDW_PRODUCT 88
 RPTDW_PRODUCT_CHOICE 64
 RPTDW_PRODUCT_FEATURE 83
 RPTDW_PRODUCT_LICENSE 85
 RPTDW_PROJECT 83
 RPTDW_REMIX 97
 RPTDW_REMIX_POOL 75
 RPTDW_REMIX_POOL_PRODUCT 72
 RPTDW_SERVER_HOST 71
 RPTDW_SOFTWARE_PRODUCER 91
 RPTDW_SOFTWARE_VENDOR 81
 RPTDW_TIER 59
 RPTDW_TIER_FEATURE 66
 RPTDW_USER 77
 RPTDW_USER_UDF 70
 RPTDW_VENDOR 85
 RPTDW_VENDOR_CONTACT 95